










ALUMINIUM PROFILE SYSTEMS

ADO Alüminyum






AD 01 CORNER PIECES




No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		10 X1 0X 1, 2 CORNER PIECES	AD 01 - 00 1	0,06 1 Kg /m	
2		15 X1 5X 1, 2 CORNER PIECES	AD 01 - 00 2	0,09 4 Kg /m	
3		20 X2 0X 1 CORNER PIECES	AD 01 - 00 3	0,10 6 Kg /m	
4		25 X2 5X 1, 2 CORNER PIECES	AD 01 - 00 4	0,159 Kg/ m	
5		30 X30X 1, 2 CORNER PIECES	AD 01 - 00 5	0,191 Kg/ m	
6		20 X40X 1, 2 CORNER PIECES	AD 01 - 00 6	0,191 Kg/ m	
7		40 X40X 1, 2 CORNER PIECES	AD 01 - 00 7	0,256 Kg/ m	
8		40 X40X 4 CORNER PIECES	AD 01 - 00 8	0,824 Kg/ m	
9		50 X50X 1, 5 CORNER PIECES	AD 01 - 00 9	0.400 Kg/ m	
10		20 X60X 1, 2 CORNER PIECES	AD 01 - 010	0,25 6 Kg/ m	
11		60 X40X 1, 3 CORNER PIECES	AD 01 - 011	0,34 8 Kg /m	
12		80 X2 0X 1, 2 CORNER PIECES	AD 01 - 012	0,321 Kg/ m	

AD 01 CORNER PIECES






No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		80X40X1,5 CORNER PIECES	AD 01 - 0130	,482 Kg/m	
14		20X100X1,5 CORNER PIECES	AD 01 - 014	0,482 Kg/m	
15		20X120X1,5 CORNER PIECES	AD 01 - 015	0,563 Kg/m	
16		20X150X1,5 CORNER PIECES	AD 01 - 016	0,685 Kg/m	
17		20X20X2 CORNER PIECES	AD 01 - 017	0,206 Kg/m	
18		25X25X2 CORNER PIECES	AD 01 - 018	0,260 Kg/m	
19		20x50x1,2 CORNER PIECES	AD 01 - 019	0,225 Kg/m	
20		14x22x2,3 CORNER PIECES	AD 01 - 020	0,211 Kg/m	
21		80X40X2 CORNER PIECES	AD 01 - 0210	,640 Kg/m	
22		25X25X1 CORNER PIECES	AD 01 - 0220	,133 Kg/m	
23		30X30X1 CORNER PIECES	AD 01 - 023	0,160 Kg/m	
24		30X30X2 CORNER PIECES	AD 01 - 0240	,314 Kg/m	

Profile weights are theoretical, and the weights taken at the time of delivery are valid.





AD 01 CORNER PIECES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		50X50X5 CORNER PIECES	AD 01 - 025	1,287 Kg/m	
26		20X25X1 CORNER PIECES	AD 01 - 026	0,119 Kg/m	
27		40X40X2,8 CORNER PIECES	AD 01 - 027	0,585 Kg/m	
28		50X93X4 CORNER PIECES	AD 01 - 028	1,507 Kg/m	
29		35X35X1,5 CORNER PIECES	AD 01 - 029	0,279 Kg/m	
30		30X15X2 CORNER PIECES	AD 01 - 030	0,233 Kg/m	
31		10X15X1 CORNER PIECES	AD 01 - 031	0,065 Kg/m	
32		35X65X2,5 CORNER PIECES	AD 01 - 032	0,661 Kg/m	
33					
34					
35					
36					









AD 02 T PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		25X25X1,2 T PROFILE	AD 02 - 001	0,159 Kg/m	
2		30X40X1,2 T PROFILE	AD 02 - 002	0,224 Kg/m	
3		40X20X1,1 T PROFILE	AD 02 - 003	0,176 Kg/m	
4		30X30X1,2 T PROFILE	AD 02 - 0040	,191 Kg/m	
5		35X38X3 T PROFILE	AD 02 - 005	0,569 Kg/m	
6					
7					
8					
9					
10					
11					
12					








AD 03 BOX PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		17X25X1 BOX PROFILE	AD 03 - 001	0,217 Kg/m	
2		20X40X0,9 BOX PROFILE	AD 03 - 002	0,284 Kg/m	
3		40X40X0,85 BOX PROFILE	AD 03 - 003	0,358 Kg/m	
4		40X50X1 BOX PROFILE	AD 03 - 004	0,477 Kg/m	
5		32X70X1,3 BOX PROFILE	AD 03 - 005	0,701 Kg/m	
6		40X80X1,5 BOX PROFILE	AD 03 - 006	0,951 Kg/m	
7		50X95X1,6 BOX PROFILE	AD 03 - 007	1,230 Kg/m	
8		28X70X1 BOX PROFILE	AD 03 - 008	0,520 Kg/m	
9		55X40X0,8 BOX PROFILE	AD 03 - 009	0,386 Kg/m	
10		48X30,5X1 BOX PROFILE	AD 03 - 010	0,345 Kg/m	
11		120x120x2 BOX PROFILE	AD 03 - 011	2,558 Kg/m	








AD 03 BOX PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
12		60X120X2 BOX PROFILE	AD 03 - 012	1,908 Kg/m	
13		20X80X1 BOX PROFILE	AD 03 - 013	0,531 Kg/m	
14		80x80x1,5 BOX PROFILE	AD 03 - 014	1,276 Kg/m	
15		20x20x2 BOX PROFILE	AD 03 - 015	0,390 Kg/m	
16		20x40x1,1 BOX PROFILE	AD 03 - 016	0,345 Kg/m	
17		30x40x1,5 BOX PROFILE	AD 03 - 017	0,545 Kg/m	
18		15x15x1 BOX PROFILE	AD 03 - 018	0,152 Kg/m	
19		17x17x1 BOX PROFILE	AD 03 - 019	0,173 Kg/m	
20		40x180x2,3 BOX PROFILE	AD 03 - 020	2,686 Kg/m	
21		33x40x1,5 BOX PROFILE	AD 03 - 021	0,561 Kg/m	
22		50X95X2 BOX PROFILE	AD 03 - 022	1,528 Kg/m	
23		50x80x1,5 BOX PROFILE	AD 03 - 023	1,033 Kg/m	













AD 03 BOX PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
24		50x150x2 BOX PROFILE	AD 03 - 024	2,125 Kg/m	
25		100x100x2 BOX PROFILE	AD 03 - 025	2,125 Kg/m	
26		40x60x1,5 BOX PROFILE	AD 03 - 026	0,789 Kg/m	
27		35x25x2 BOX PROFILE	AD 03 - 027	0,607 Kg/m	
28		40x25x1,4 BOX PROFILE	AD 03 - 028	0,472 Kg/m	
29		16x37,4x1,8 BOX PROFILE	AD 03 - 029	0,485 Kg/m	
30		35x37,4x1,8 BOX PROFILE	AD 03 - 030	0,672 Kg/m	
31		40x40x1,4 BOX PROFILE	AD 03 - 031	0,585 Kg/m	
32		34x51x1,5 BOX PROFILE	AD 03 - 032	0,667 Kg/m	
33		60x60x4 BOX PROFILE	AD 03 - 033	2,371 Kg/m	
34		30x90x2 BOX PROFILE	AD 03 - 034	1,298 Kg/m	
35		50x200x2 BOX PROFILE	AD 03 - 035	2,921 Kg/m	













AD 03 BOX PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
36		40x60x2 BOX PROFILE	AD 03 - 036	1,041 Kg/m	
37		30x60x2,5 BOX PROFILE	AD 03 - 037	1,152 Kg/m	
38		50x50x2 BOX PROFILE	AD 03 - 038	1,041 Kg/m	
		50x50x1,5 BOX PROFILE	AD 34 - 017	0,789 Kg/m	
39		20x100x1,5 BOX PROFILE	AD 03 - 039	1,084 Kg/m	
40		29x49x2 BOX PROFILE	AD 03 - 040	0,783 Kg/m	
41		23,7x43,7x1,4 BOX PROFILE	AD 03 - 041	0,482 Kg/m	
42		40x40x3 BOX PROFILE	AD 03 - 042	1,203 Kg/m	
43		70x170x2 BOX PROFILE	AD 03 - 043	2,556 Kg/m	
44		50x130x1,5 BOX PROFILE	AD 03 - 044	1,439 Kg/m	
45		20x100x1,2 BOX PROFILE	AD 03 - 045	0,764 Kg/m	
46					










AD 04 PIPE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		Ø 50X1,75 PIPE PROFILE	AD 04 - 001	0,719 Kg/m	
2		Ø 12X1 PIPE PROFILE	AD 04 - 002	0,094 Kg/m	
3		Ø 16X1,2 PIPE PROFILE	AD 04 - 003	0,151 Kg/m	
4		Ø 16X2,5 PIPE PROFILE	AD 04 - 004	0,287 Kg/m	
5		Ø 16X3 PIPE PROFILE	AD 04 - 005	0,332 Kg/m	
6		Ø 16X1,5 PIPE PROFILE	AD 04 - 006	0,185 Kg/m	
7		Ø 45X1,5 PIPE PROFILE	AD 04 - 007	0,556 Kg/m	
8		Ø 50X1,5 PIPE PROFILE	AD 04 - 009	0,620 Kg/m	
9		Ø 35X2 PIPE PROFILE	AD 04 - 010	0,562 Kg/m	
10		Ø 19X1,1 PIPE PROFILE	AD 04 - 011	0,168 Kg/m	
11		Ø 150X2,3 PIPE PROFILE	AD 04 - 012	2,892 Kg/m	
12		Ø 90X7 PIPE PROFILE	AD 04 - 013	4,946 Kg/m	







AD 04 PIPE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		Ø 50X2 PIPE PROFILE	AD 04 - 014	0,818 Kg/m	
14		Ø 35X2,5 PIPE PROFILE	AD 04 - 015	0,691 Kg/m	
15		Ø 16X2 PIPE PROFILE	AD 04 - 016	0,239 Kg/m	
16		Ø 50X2,5 PIPE PROFILE	AD 04 - 017	1,011 Kg/m	
17		Ø 16X5 PIPE PROFILE	AD 04 - 018	0,469 Kg/m	
18		Ø 50X1,6 PIPE PROFILE	AD 04 - 019	0,659 Kg/m	
19		Ø 15,5X1,4 PIPE PROFILE	AD 04 - 020	0,168 Kg/m	
20		Ø 125x2 PIPE PROFILE	AD 04 - 021	2,095 Kg/m	
21		Ø 35x1,2 PIPE PROFILE	AD 04 - 022	0,344 Kg/m	
22		Ø 40x2 PIPE PROFILE	AD 04 - 023	0,648 Kg/m	
23		Ø 20x2 PIPE PROFILE	AD 04 - 024	0,306 Kg/m	
24		Ø 6x1 PIPE PROFILE	AD 04 - 025	0,043 Kg/m	



AD 04 PIPE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		Ø 100x1,5 PIPE PROFILE	AD 04 - 026	1,257 Kg/m	
26		Ø 38x1,2 PIPE PROFILE	AD 04 - 027	0,377 Kg/m	
27		Ø 35x1,5 PIPE PROFILE	AD 04 - 028	0,428 Kg/m	
28		Ø 50x3 PIPE PROFILE	AD 04 - 029	1,201 Kg/m	
29		Ø 25x1,2 PIPE PROFILE	AD 04 - 030	0,244 Kg/m	
30		Ø 25x1,5 PIPE PROFILE	AD 04 - 031	0,301 Kg/m	
31		Ø 60x7 PIPE PROFILE	AD 04 - 032	3,160 Kg/m	
32		Ø 15x1 PIPE PROFILE	AD 04 - 033	0,119 Kg/m	
33		Ø 20x1 PIPE PROFILE	AD 04 - 034	0,163 Kg/m	
34					
35					
36					









AD 05 U PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		12,5X16X1,3 U PROFILE	AD 05 - 001	0,146 Kg/m	
2		17X17X1,2 U PROFILE	AD 05 - 002	0,158 Kg/m	
3		18X20X1,2 U PROFILE	AD 05 - 003	0,181 Kg/m	
4		40x10x1 U PROFILE	AD 05 - 004	0,157 Kg/m	
5		30x10x1 U PROFILE	AD 05 - 005	0,130 Kg/m	
6		30x15x1 U PROFILE	AD 05 - 006	0,157 Kg/m	
7		30x30x2 U PROFILE	AD 05 - 007	0,466 Kg/m	
8		40X24,8X2 U PROFILE	AD 05 - 008	0,545 Kg/m	
9		10X10X1 U PROFILE	AD 05 - 009	0,076 Kg/m	
10		15X10X1,5 U PROFILE	AD 05 - 010	0,149 Kg/m	
11		20X30X2 U PROFILE	AD 05 - 011	0,358 Kg/m	
12		10X15X1,5 U PROFILE	AD 05 - 012	0,130 Kg/m	






AD 05 U PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		15X22X1,5 U PROFILE	AD 05 - 013	0,198 Kg/m	
14		12X8,6X1,3 U PROFILE	AD 05 - 014	0,106 Kg/m	
15		10X12X1,5 U PROFILE	AD 05 - 015	0,117 Kg/m	
16					
17					
18					
19					
20					
21					
22					
23					
24					





AD 06 GRILLAGE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		GRILLAGE BOTTOM PIECE	AD 06 - 001	0,125 Kg/m	
2		20X20 GRILLAGE TOP COVER	AD 06 - 002	0,150 Kg/m	
3		DISPLAY RAIL PROFILE	AD 06 - 003	0,342 Kg/m	
4		DISPLAY E PROFILE	AD 06 - 004	0,287 Kg/m	
5		DISPLAY H PROFILE	AD 06 - 005	0,390 Kg/m	
6		GRILLAGE BOTTOM PIECE	AD 06 - 006	0,321 Kg/m	
7		50X50 GRILLAGE TOP COVER	AD 06 - 007	0,450 Kg/m	
8		BOTTOM PROFILE	AD 06 - 008	0,295 Kg/m	
9		OVAL BOTTOM PROFILE	AD 06 - 009	0,496 Kg/m	
10					
11					
12					








AD 07 AUXILIARY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		WAINSCOT PROFILE	AD 07 - 001	0,571 Kg/m	
2		WAINSCOT PROFILE	AD 07 - 002	0,370 Kg/m	
3		110 1,4 mm CULVERT PROFILE	AD 07 - 003	0,470 Kg/m	
4		HPROFILE	AD 07 - 004	0,252 Kg/m	
5		DECK F PROGILE	AD 07 - 0050	,341 Kg/m	
6		DECK PROFILE	AD 07 - 0060	,114 Kg/m	
7		64 1,35 mm CULVERT PROFILE	AD 07 - 0070	,312 Kg/m	
8		150 SILL PROFILE	AD 07 - 0080	,678 Kg/m	
9		170 SILL PROFILE	AD 07 - 009	0,826 Kg/m	
10		200 SILL PROFILE	AD 07 - 0100	,923 Kg/m	
11		225 SILL PROFILE	AD 07 - 0111	,126 Kg/m	
12		123 1,6 mm CULVERT PROFILE	AD 07 - 0120	,781 Kg/m	










AD 07 AUXILIARY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		Z SILL PROFILE	AD 07 - 013	0,976 Kg/m	
14		CULVERT PROFILE	AD 07 - 0150	,220 Kg/m	
15		CULVERT PROFILE	AD 07 - 0160	,301 Kg/m	
16		120 1.4 mm CULVERT PROFILE	AD 07 - 0170	,526 Kg/m	
17		120 JOINT PROFILE	AD 07 - 0180	,520 Kg/m	
18					
19					
20					
21					
22					
23					
24					












AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		16 PIPE PROFILE 2 MM	AD 08 - 001	0,263 Kg/m	
2		18x25x2 MM U PROFILE	AD 08 - 002	0,357 Kg/m	
3		25 PIPE PROFILE 1,5 MM	AD 08 - 003	0,354 Kg/m	CAP PROFILE AD 08 - 005
4		40 STRUT PROFILE 1,5 MM	AD 08 - 004	0,776 Kg/m	CAP PROFILE AD 08 - 005
5		CAP PROFILE	AD 08 - 005	0,060 Kg/m	
6		CAP PROFILE	AD 08 - 006	0,066 Kg/m	
7		40 STRUT PROFILE 2 MM	AD 08 - 007	0,896 Kg/m	CAP PROFILE AD 08 - 006
8		40 STRUT PROFILE 1,25 MM	AD 08 - 008	0,739 Kg/m	CAP PROFILE AD 08 - 005
9		40 STRUT PROFILE 2 MM	AD 08 - 009	1,050 Kg/m	CAP PROFILE AD 08 - 005
10		40 STRUT PROFILE 1,5 MM	AD 08 - 010	0,848 Kg/m	CAP PROFILE AD 08 - 005
11		40 STRUT PROFILE 1,2 MM	AD 08 - 012	0,576 Kg/m	CAP PROFILE AD 08 - 005
12		40x40x1,5 MM SQUARE STRUT PROFILE	AD 08 - 013	1,035 Kg/m	CAP PROFILE AD 08 - 014













AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		SQUARE STRUT PRO- FILE CAP	AD 08 - 014	0,059 Kg/m	
14		40x40x1,5 MM SQUARE STRUT PROFILE	AD 08 - 015	1,005 Kg/m	CAP PROFILE AD 08 - 014
15		40 STRUT PROFILE 1,3 MM	AD 08 - 016	0,768 Kg/m	CAP PROFILE AD 08 - 005
16		0 66x2,6 MM DECORATIVE BALUSTRADE PROFILE	AD 08 - 017	1,109 Kg/m	
17		0 59,5x2 MM STRUT PROFILE	AD 08 - 019	1,510 Kg/m	
18		30x80x1,5 MM BALUSTRADE PROFILE	AD 08 - 020	1,118 Kg/m	GLAZING GAP 14 MM
19		25x60x1,5 MM BALUSTRADE PROFILE	AD 08 - 021	0,803 Kg/m	GLAZING GAP 14 MM
20		25x60x1,8 MM BALUSTRADE PROFILE	AD 08 - 022	0,845 Kg/m	
21		25x60x1,5 MM BALUSTRADE PROFILE	AD 08 - 023	0,818 Kg/m	GLAZING GAP 11,2 MM
22		22x25x1,8 MM U PROFILE	AD 08 - 024	0,448 Kg/m	GLAZING GAP 14 MM
23		22x26x1,8 MM U PROFILE	AD 08 - 025	0,472 Kg/m	GLAZING GAP 14 MM CAP PROFILE AD 08 - 014
24		30x35x3 MM GLAZING RAIL BOTTOM PROFILE	AD 08 - 026	0,965 Kg/m	GLAZING GAP 11,2 MM











AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		14x14x1,9 MM BALUSTRADE PROFILE	AD 08 - 027	0,247 Kg/m	
26		B 58,5x3,75 MM BALUSTRADE PROFILE	AD 08 - 028	1,748 Kg/m	
27		48,5x48,5x4 MM BALUSTRADE PROFILE	AD 08 - 029	1,930 Kg/m	
28		B 54,8x6,9 MM BALUSTRADE PROFILE	AD 08 - 030	2,008 Kg/m	
29		88,5x52,5x4 MM BALUSTRADE PROFILE	AD 08 - 031	3,492 Kg/m	
30		95,4x76x6 MM BALUSTRADE PROFILE	AD 08 - 032	3,940 Kg/m	
31		86,5x36,5x3 MM BALUSTRADE PROFILE	AD 08 - 033	2,352 Kg/m	
32		50 HINGE PROFILE	AD 08 - 034	0,853 Kg/m	
33		83,5x36,5x2,95 MM BALUSTRADE PROFILE	AD 08 - 035	1,824 Kg/m	
34		66,6x31,6x3 MM BALUSTRADE PROFILE	AD 08 - 036	1,450 Kg/m	
35		B 25 BALUSTRADE PROFILE	AD 08 - 037	1,330 Kg/m	
36		60x12 BALUSTRADE PROFILE	AD 08 - 038	1,951 Kg/m	

AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
37		49 STRUT PROFILE 4 MM	AD 08 - 039	1,631 Kg/m	
38		58 WALL FLANGE WITH DOUBLE HOLE	AD 08 - 040	2,706 Kg/m	
39		14 BOX PROFILE 1,5 MM	AD 08 - 041	0,253 Kg/m	
40		80x30x1,5 MM BALUSTRADE PROFILE	AD 08 - 042	0,941 Kg/m	
41		60x25x1,5 MM BALUSTRADE PROFILE	AD 08 - 043	0,722 Kg/m	GLAZING GAP
42		40 STRUT PROFILE 1,4 MM	AD 08 - 044	0,756 Kg/m	CAP PROFILE AD 08 - 045
43		CAP PROFILE	AD 08 - 045	0,084 Kg/m	
44		40 STRUT PROFILE 1,15 MM	AD 08 - 046	0,697 Kg/m	CAP PROFILE AD 08 - 005
45		8 65x2,3 MM DECORATIVE BALUSTRADE PROFILE	AD 08 - 047	0,970 Kg/m	
46		8 59,5x1,7 MM STRUT PROFILE	AD 08 - 048	1,317 Kg/m	
47		GLAZING RAIL BOTTOM PROFILE	AD 08 - 049	0,995 Kg/m	GLAZING GAP 12,6 MM
48		40 STRUT PROFILE 1,2 MM	AD 08 - 050	0,691 Kg/m	CAP PROFILE AD 08 - 045











AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
49		GLAZING BEAD PROFILE	AD 08 - 051	0,089 Kg/m	
50		16x22x1,3 MM BALUSTRADE PROFILE	AD 08 - 052	0,279 Kg/m	GLAZING GAP 8,3 MM
51		40x25x1,6 MM BALUSTRADE PROFILE	AD 08 - 053	0,778 Kg/m	CAP PROFILE AD 08 - 073
52		80x30x1,5 MM BALUSTRADE PROFILE	AD 08 - 054	1,073 Kg/m	GLAZING GAP 10,9 MM
53		80x30x1,6 MM BALUSTRADE PROFILE	AD 08 - 055	1,114 Kg/m	GLAZING GAP 12,3 MM
54		60x25x1,6 MM BALUSTRADE PROFILE	AD 08 - 056	0,867 Kg/m	GLAZING GAP 10,3 MM
55		GLAZING BEARING PROFILE 1,3 MM	AD 08 - 057	0,222 Kg/m	
56		26x30x2 MM BALUSTRADE PROFILE	AD 08 - 058	0,623 Kg/m	GLAZING GAP 14,1 MM CAP PROFILE AD 08 - 051
57		25x60x2 MM BALUSTRADE PROFILE	AD 08 - 059	0,894 Kg/m	GLAZING GAP 12 MM
58		14x14x1,5 MM BALUSTRADE PROFILE	AD 08 - 060	0,201 Kg/m	
59		50 LİK x 1,8 MM BALUSTRADE PROFILE	AD 08 - 061	0,924 Kg/m	GLAZING GAP 11,2 MM
60		40 STRUT PROFILE 1,4 MM	AD 08 - 062	0,705 Kg/m	CAP PROFILE AD 08 - 005













AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
61		30x80x1,5 MM BALUSTRADE PROFILE	AD 08 - 063	1,160 Kg/m	GLAZING GAP 10,9 MM
62		50 2,2 MM DECORATIVE BALUSTRADE PROFILE	AD 08 - 064	0,737 Kg/m	
63		35 2,5 MM DECORATIVE BALUSTRADE PROFILE	AD 08 - 065	0,640 Kg/m	
64		16 1,5 MM DECORATIVE BALUSTRADE PROFILE	AD 08 - 066	0,176 Kg/m	
65		40 STRUT PROFILE 1,4 MM	AD 08 - 067	0,805 Kg/m	CAP PROFILE AD 08 - 005
66		70x70x1,8 MM BALUSTRADE PROFILE	AD 08 - 068	1,786 Kg/m	
67		25x60x1,6 MM BALUSTRADE PROFILE	AD 08 - 069	0,781 Kg/m	
68		26x30x2 MM BALUSTRADE PROFILE	AD 08 - 070	0,897 Kg/m	
69		25x60x2 MM BALUSTRADE PROFILE	AD 08 - 071	1,005 Kg/m	GLAZING GAP 12 MM
70		14x14x1,5 MM BALUSTRADE PROFILE	AD 08 - 073	0,092 Kg/m	
71		50 LİK x 1,8 MM BALUSTRADE PROFILE	AD 08 - 074	2,192 Kg/m	
72		40 STRUT PROFILE 1,4 MM	AD 08 - 075	0,884 Kg/m	CAP PROFILE AD 08 - 014












AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
73		60x25x1,65 MM SQUARE TOP BALUSTRADE PROFILE	AD 08 - 076	0,791 Kg/m	
74		14x14x1,5 MM BALUSTRADE PROFILE	AD 08 - 077	0,187 Kg/m	
75		60x25 ELLIPTICAL PROFILE 1,5 MM	AD 08 - 078	0,699 Kg/m	CAP PROFILE AD 08 - 086
76		80 ELLIPTICAL BALUSTRADE (CORK) PROFILE 1,5 MM	AD 08 - 079	1,146 Kg/m	CAP PROFILE AD 08 - 051 AD 08 - 086
77		80 ELLIPTICAL BALUSTRADE WITH MEDIUM CANAL 1,5 MM	AD 08 - 080	0,981 Kg/m	CAP PROFILE AD 08 - 086
78		82 mm PEAR-SHAPED BALUSTRADE PROFILE 1,4 MM	AD 08 - 081	1,041 Kg/m	CAP PROFILE AD 08 - 051 AD 08 - 086
79		ELLIPTICAL BARRIER 1,4 MM	AD 08 - 082	0,249 Kg/m	
80		ELLIPTICAL GLAZING BEARING PROFILE 1,6 MM	AD 08 - 083	0,382 Kg/m	CAP PROFILE AD 08 - 051
81		25x60x1,5 MM BALUSTRADE PROFILE	AD 08 - 084	0,818 Kg/m	GLAZING GAP 18 MM
82		ELLIPTICAL STRUT SINGLE CAP PROFILE 1,5 MM	AD 08 - 085	0,778 Kg/m	CAP PROFILE AD 08 - 051
83		GLAZING BEAD PROFILE	AD 08 - 086	0,119 Kg/m	
84		19 BALUSTRADE PROFILE 1,6 MM	AD 08 - 091	0,276 Kg/m	CAP PROFILE AD 08 - 092












AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
85		19 BALUSTRADE CAP	AD 08 - 092	0,046 Kg/m	
86		16x16x1,5 MM BALUSTRADE PROFILE	AD 08 - 106	0,233 Kg/m	
87		50x30x1,8 MM BALUSTRADE PROFILE	AD 08 - 107	0,800 Kg/m	
88		40x40x1,5 MM OVAL SQUARE STRUT PROFILE	AD 08 - 108	0,881 Kg/m	CAP PROFILE AD 08 - 014
89		25x60x1,2 MM BALUSTRADE PROFILE	AD 08 - 109	0,637 Kg/m	GLAZING GAP 9 MM
90		30x80x1,2 MM BALUSTRADE PROFILE	AD 08 - 110	0,818 Kg/m	GLAZING GAP 9 MM
91		29x35x1,8 MM GLAZING BEARING PROFILE	AD 08 - 112	0,461 Kg/m	
92		73 mm SAILOR PROFILE 2,3 MM	AD 08 - 115	1,556 Kg/m	GLAZING GAP 11,8 MM
93		50 mm SAILOR PROFILE 1,3 MM	AD 08 - 116	0,737 Kg/m	GLAZING GAP 12 MM
94		25x60x1,8 MM BALUSTRADE PROFILE	AD 08 - 117	0,835 Kg/m	
95		23,5x35x1,5 MM STRUT PROFILE	AD 08 - 118	0,477 Kg/m	CAP PROFILE AD 08 - 051
96		30x80x1,3 MM BALUSTRADE PROFILE	AD 08 - 119	0,946 Kg/m	GLAZING GAP 11,6 MM





AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
97		25x50x1,6 MM STRUT PROFILE	AD 08 - 120	0,894 Kg/m	CAP PROFILE AD 08 - 014
98		50x30x4 MM WALL FLANGE	AD 08 - 121	2,846 Kg/m	
99		21x20x2 MM CONNECTION PROFILE	AD 08 - 122	0,309 Kg/m	GLAZING GAP 15 MM
100		14x24x1,25 MM BALUSTRADE PROFILE	AD 08 - 124	0,241 Kg/m	GLAZING GAP 9 MM
101		29,5x30x1,5 MM GLAZING BEARING PROFILE	AD08 - 129	0,580 Kg/m	
102		30x80x1,6 MM BALUSTRADE PROFILE	AD08 - 130	1,103 Kg/m	GLAZING GAP 14,4 MM
103		RAIL BASE PROFILE	AD08 - 144	8,203 Kg/m	
104		SIDE CAP PROFILE	AD08 - 145	0,837 Kg/m	
105		GLAZING COMPRESSION PROFILE	AD08 - 146	0,781 Kg/m	
106		ANGLED SIDE CAP PROFILE Note: To be molded when an Order is Received.	AD08 - 147	0,873 Kg/m	
107		TOP CAP PROFILE	AD08 - 148	0,255 Kg/m	
108		RAIL FRONT BASE PROFILE Note: To be molded when an Order is Received.	AD08 - 149	8,027 Kg/m	











AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
109		RAIL FRONT BASE ASSEMBLY PROFILE Note: To be molded when an Order is Received.	AD08 - 150	0,886 Kg/m	
110		FRONT CAP PROFILE Note: To be molded when an Order is Received.	AD08 - 151	1,369 Kg/m	
111		RAIL BASE PROFILE	AD08 - 166	2,244 Kg/m	
112		25x60x1,3 MM BALUSTRADE PROFILE	AD08 - 167	0,734 Kg/m	GLAZING GAP 10,9 MM
113		RAIL BASE PROFILE	AD08 - 168	7,412 Kg/m	
114		GLAZING COMPRESSION PROFILE	AD08 - 169	0,940 Kg/m	
115		SIDE CAP PROFILE	AD08 - 170	0,683 Kg/m	
116		22,8x19,8x1,8 MM BALUSTRADE PROFILE	AD08 - 171	0,352 Kg/m	GLAZING GAP 18,2 MM
117		15,6x19,8x1,8 MM BALUSTRADE PROFILE	AD08 - 172	0,252 Kg/m	GLAZING GAP 11 MM
118		38,5x38,5x1,5 MM STRUT PROFILE	AD08 - 173	0,892 Kg/m	GLAZING GAP 13 MM
119		38,5x38,5x1,5 MM STRUT PROFILE	AD08 - 174	0,978 Kg/m	CAP PROFILE AD 08 - 014
120		30x25x1,4 MM GLAZING RETAINING PROFILE	AD08 - 175	0,526 Kg/m	GLAZING GAP 12 MM CAP PROFILE AD 08 - 014



AD 08 BALUSTRADE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
121		30x83x1,4 MM TOP BALUSTRADE PROFILE	AD08 - 176	1,022 Kg/m	GLAZING GAP 11,5 MM CAP PROFILE AD 08 - 014
122		20x19,5x1,5 MM GLAZING RETAINING PROFILE	AD08 - 177	0,282 Kg/m	GLAZING GAP 12 MM
123		13x11x1,8mm STRIP PROFILE	AD08 - 178	0,168 Kg/m	
124		26x30x1,6 MM BALUSTRADE PROFILE EKO	AD08 - 179	0,509 Kg/m	GLAZING GAP 14,1 MM CAP PROFILE AD 08 - 051
125					
126					
127					
128					
129					
130					
131					
132					












AD 09 SHUTTER PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		21x60x1,2 MM MIDI SIDE STRUT	AD 09 - 001	0,557 Kg/m	
2		53,5x60,1x1,25 MM SHUTTER BOX	AD 09 - 002	0,702 Kg/m	
3		21x90x1,2 MM MIDI MEDIUM STRUT	AD 09 - 003	0,828 Kg/m	
4		60x100x1,2 MM SHUTTER BOX	AD 09 - 004	0,835 Kg/m	
5		26x31x1 MM U PROFILE	AD 09 - 005	0,260 Kg/m	
6		10,3x47,2x1 MM FINISH MOUNT	AD 09 - 006	0,286 Kg/m	
7		BI 22x1,1 MM BLIND OVAL PIPE	AD 09 - 007	0,223 Kg/m	
8		9x38,5x1,1 MM BLIND BOTTOM PIECE PROFILE	AD 09 - 008	0,319 Kg/m	
9		41x51x0,9 MM BLIND TOP BOX PROFILE	AD 09 - 009	0,430 Kg/m	
10		60x12,6x1,15 MM MULLION PROFILE	AD 09 - 010	0,496 Kg/m	
11		26x100x1,4 MM MIDI MEDIUM STRUT	AD 09 - 011	1,075 Kg/m	
12		26x70x1,4 MM BLIND TOP BOX PROFILE	AD 09 - 012	0,777 Kg/m	













AD 09 SHUTTER PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		35,4x90x1,8 MM MAXI SIDE STRUT	AD 09 - 013	1,313 Kg/m	
14		21x53,2x1,1 MM MINI SIDE STRUT	AD 09 - 014	0,484 Kg/m	
15		10,4x70x1,2 MM MİDİ BOTTOM MOUNT	AD 09 - 015	0,508 Kg/m	
16		7,5x50,7x1 MM MİNİ BOTTOM MOUNT	AD 09 - 016	0,302 Kg/m	
17		15,2x90,5x1,2 MM MAXİ BOTTOM MOUNT	AD 09 - 017	0,719 Kg/m	
18		8 25,8x1,75 MM BLIND OVAL PIPE	AD 09 - 018	0,371 Kg/m	
19					
20					
21					
22					
23					
24					


AD 10 FLY SCREEN PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		10,2x20,7x0,8 MM FLY SCREEN SASH	AD 10 - 0010	,135 Kg/m	
2		10,6x21,3x1 MM FLY SCREEN SASH	AD 10 - 002	0,171 Kg/m	
3		16,2x24,2x0,8 MM FLY SCREEN SASH	AD 10 - 003	0,186 Kg/m	
4		16,6x24,6x1 MM FLY SCREEN SASH	AD 10 - 004	0,232 Kg/m	
5		12x27,5x1 MM FLY SCREEN SASH	AD 10 - 005	0,220 Kg/m	
6		17x43x1 MM FLY SCREEN SASH	AD 10 - 006	0,370 Kg/m	
7		29,8x16,8x1,1 MM FLY SCREEN SASH MULLION	AD 10 - 007	0,346 Kg/m	
8		43x17x1,1 MM FLY SCREEN SASH MULLION	AD 10 - 008	0,421 Kg/m	
9		22x40,4x1,2 MM FLY SCREEN INWARD OPENING FRAME PROFILE	AD 10 - 009	0,321 Kg/m	
10		53,5x18,3x1,2 MM FLY SCREEN GASKET DOOR PROFILE	AD 10 - 010	0,495 Kg/m	
11		EKO SERIES PLEATED FLY SCREEN FRAME PROFILE 21,8x27,9x0,95 MM	AD 10 - 011	0,282 Kg/m	
12		EKO SERIES PLEATED FLY SCREEN SASH PROFILE 16x48x1 MM	AD 10 - 012	0,415 Kg/m	













AD 10 FLY SCREEN PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		NORMAL SERIES PLEATED FLY SCREEN FRAME PROFILE 28,4x30x1 MM	AD 10 - 013	0,379 Kg/m	
14		NORMAL SERIES PLEATED FLY SCREEN FRAME PROFILE 28,4x34x1 MM	AD 10 - 014	0,382 Kg/m	
15		NORMAL SERIES PLEATED FLY SCREEN SASH PROFILE 20x44x1 MM	AD 10 - 015	0,388 Kg/m	
16		SLIDING FLY SCREEN SASH PROFILE 28,9x55,9x1,4 MM	AD 10 - 021	0,800 Kg/m	
17		FLY SCREEN SASH PROFILE 31,7x10,5x0,6 MM	AD 10 - 022	0,130 Kg/m	
18		PLEATED FLY SCREEN FRAME PROFILE 35x39,8x1,1 MM	AD 10 - 023	0,482 Kg/m	
19		PLEATED FLY SCREEN SASH PROFILE 20x44,3x0,9 MM	AD 10 - 024	0,398 Kg/m	
20		17x50x1,2 MM FLY SCREEN SASH	AD 10 - 025	0,469 Kg/m	
21		FRAME PROFILE 25x27x1 MM	AD 10 - 028	0,285 Kg/m	
22		SASH PROFILE 20x52,6x1,1 MM	AD 10 - 029	0,504 Kg/m	
23		FLY SCREEN RAIL PROFILE 49,3x14,3x1,2 MM	AD 10 - 030	0,341 Kg/m	
24		SLIDING FLY SCREEN SASH PROFILE 27,6x55,5x1 MM	AD 10 - 031	0,615 Kg/m	













AD 10 FLY SCREEN PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		FLY SCREEN RAIL PROFILE 49,1x26,8x1,2 MM	AD 10 - 032	0,463 Kg/m	
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					








AD 11 MEDITERRANEAN SERIES PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		45x38x1,25 SLIDING FRAME PROFILE	AD 11 - 001	0,690 Kg/m	
2		28x61x1,2 SLIDING SASH PROFILE	AD 11 - 002	0,670 Kg/m	
3		28x61x1,2 SLIDING SASH PROFILE	AD 11 - 003	0,690 Kg/m	
4		SLIDING CLAMP PROFILE	AD 11 - 004	0,289 Kg/m	
5		SLIDING BEAD	AD 11 - 005	0,185 Kg/m	
6		FRAME PROFILE	AD 11 - 006	1,098 Kg/m	
7		SASH PROFILE	AD 11 - 007	1,187 Kg/m	
8		MULLION PROFILE	AD 11 - 008	1,211 Kg/m	
9		GLAZING BEAD PROFILE 13,8 MM	AD 11 - 009	0,250 Kg/m	
10		OFFSET TYPE SLIDING FRAME PROFILE WITH SILL	AD 11 - 013	1,176 Kg/m	
11		OFFSET TYPE SLIDING FRAME PROFILE	AD 11 - 014	1,024 Kg/m	
12		FRAME PROFILE Note: To be molded when an Order is Received	AD 11 - 035	1,155 Kg/m	









AD 11 MEDITERRANEAN SERIES PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		PVC CANAL SASH PROFILE	AD 11 - 036	1,192 Kg/m	
14		SASH PROFILE	AD 11 - 037	1,209 Kg/m	
15		SLIDING FRAME PROFILE	AD 11 - 038	1,271 Kg/m	
16		SLIDING SASH PROFILE	AD 11 - 039	1,081 Kg/m	
17		SLIDING CLAMP PROFILE	AD 11 - 040	0,461 Kg/m	
18		SASH PROFILE	AD 11 - 041	0,973 Kg/m	
19		SASH PROFILE	AD 11 - 042	1,100 Kg/m	
20		MULLION PROFILE	AD 11 - 043	0,897 Kg/m	
21		MULLION PROFILE	AD 11 - 044	0,810 Kg/m	
22		SLIDING CORNER CONNECTION PROFILE 35x35x9,4	AD 11 - 045	0,726 Kg/m	
23		SLIDING FRAME PROFILE	AD 11 - 046	0,751 Kg/m	
24		SLIDING SINGLE FRAME PROFILE	AD 11 - 047	0,455 Kg/m	









AD 11 MEDITERRANEAN SERIES PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		BOTTOM PROFILE	AD 11 - 048	1,824 Kg/m	
26		CORNER PROFILE 90 °	AD 11 - 049	1,106 Kg/m	
27		SLIDING MULLION PROFILE	AD 11 - 051	0,699 Kg/m	
28		SILL PROFILE	AD 11 - 052	0,312 Kg/m	
29		SLIDING FRAME PROFILE WITH FLY SCREEN	AD 11 - 053	1,035 Kg/m	
30		SLIDING FRAME PROFILE WITH SILL AND FLY SCREEN	AD 11 - 054	1,179 Kg/m	
31		SLIDING FRAME PROFILE WITH SILL	AD 11 - 055	0,881 Kg/m	
32		SLIDING FRAME PROFILE WITH SILL	AD 11 - 056	0,978 Kg/m	
33					
34					
35					
36					







AD 12 C60 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME-SASH 1,5 MM	AD 12 - 001	1,102 Kg/m	
2		FRAME-MULLION 1,5 MM	AD 12 - 002	0,998 Kg/m	
3		MULLION 1,5 MM	AD 12 - 003	1,464 Kg/m	
4		STRUCTURAL MULLION 1,5 MM	AD 12 - 004	1,509 Kg/m	
5		FRAME STRUCTURAL MULLION 1,9 MM	AD 12 - 005	2,013 Kg/m	
6		MULLION 2 MM	AD 12 - 006	0,989 Kg/m	
7		BOTTOM 1,8 MM	AD 12 - 007	1,940 Kg/m	
8		GLAZING BEAD	AD 12 - 008	0,209 Kg/m	
9		WINDOW ADAPTER	AD 12 - 009	0,237 Kg/m	
10		90° FRAME	AD 12 - 010	1,134 Kg/m	
11		135° FRAME	AD 12 - 011	0,978 Kg/m	












AD 12 C60 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
12		ADAPTER	AD 12 - 012	0,447 Kg/m	
13		DOUBLE GLAZING BEAD 19 MM	AD 12 - 013	0,272 Kg/m	
14		SINGLE GLAZING BEAD 23,6 MM	AD 12 - 014	0,256 Kg/m	
15		ADAPTER	AD 12 - 015	0,433 Kg/m	
16		ADAPTER	AD 12 - 016	0,511 Kg/m	
17		CORNER BLOCK PROFILE 80x80x35	AD 12 - 017	5,644 Kg/m	
18		CORNER BLOCK PROFILE 85x85x35,4	AD 12 - 018	2,861 Kg/m	
19		CONNECTIO APPARATUS	AD 12 - 019	0,940 Kg/m	
20		FRAME-SASH (1,25 mm)	AD 12 - 020	0,965 Kg/m	
21		FRAME-MULLION (1,25 mm)	AD 12 - 021	0,897 Kg/m	
22		MULLION (1,25 mm)	AD 12 - 022	1,271 Kg/m	











AD 12 C60 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
23		SINGLE GLAZING BEAD 42 MM	AD 12 - 024	0,320 Kg/m	
24		FRAME-SASH (1,85 mm)	AD 12 - 025	1,285 Kg/m	
25		FRAME-MULLION (1,85 mm)	AD 12 - 026	1,198 Kg/m	
26		LARGE FRAME-SASH (1,5 mm)	AD 12 - 027	1,431 Kg/m	
27		SINGLE GLAZING BEAD 26 MM	AD 12 - 028	0,298 Kg/m	
28		DOUBLE GLAZING BEAD 16 MM	AD 12 - 029	0,263 Kg/m	
29					
30					
31					
32					
33					










AD 13 ALDOKS PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME 1 MM	AD 13 - 001	0,461 Kg/m	
2		FRAME 1,1 MM	AD 13 - 002	0,606 Kg/m	
3		FRAME 1,5 MM	AD 13 - 003	1,084 Kg/m	
4		SASH 1 MM	AD 13 - 004	0,551 Kg/m	
5		SASH 1,1 MM	AD 13 - 005	0,701 Kg/m	
6		SASH 1,4 MM	AD 13 - 006	1,151 Kg/m	
7		SASH 1,4 MM	AD 13 - 007	1,265 Kg/m	
8		MULLION 1 MM	AD 13 - 008	0,551 Kg/m	
9		MULLION 1,1 MM	AD 13 - 009	0,700 Kg/m	
10		MULLION 1,4 MM	AD 13 - 010	1,150 Kg/m	
11		MULLION 1,4 MM	AD 13 - 011	1,264 Kg/m	

AD 13 ALDOKS PROFILES










No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
12		BOTTOM 1,4 MM	AD 13 - 013	1,128 Kg/m	
13		BOTTOM 1,4 MM	AD 13 - 014	1,266 Kg/m	
14		BOTTOM 1,4 MM	AD 13 - 015	1,417 Kg/m	
15		90° ORNER	AD 13 - 016	0,799 Kg/m	
16		ADAPTER	AD 13 - 019	0,404 Kg/m	
17		CULVERT 27,4x30x1,2 MM	AD 13 - 020	0,182 Kg/m	
18		ADAPTER	AD 13 - 021	0,367 Kg/m	
19		T PROFILE	AD 13 - 022	0,149 Kg/m	
20		CONNECTION APPARATUS 15x35x1,5 MM	AD 13 - 023	0,478 Kg/m	
21		SHOULDER ALIGNMENT 36x36x15,5	AD 13 - 024	0,669 Kg/m	
22		90° CORNER PROFILE	AD 13 - 025	0,714 Kg/m	

AD 13 ALDOKS PROFILES











No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
23		DOUBLE GLAZING BEAD 16,6 MM	AD 13 - 026	0,211 Kg/m	
24		ADAPTER	AD 13 - 027	0,366 Kg/m	
25		ROD PROFILE	AD 13 - 028	0,098 Kg/m	
26		ROD PROFILE	AD 13 - 029	0,163 Kg/m	
27		CONNECTION APPARATUS 30x31x2,5 MM	AD 13 - 030	0,688 Kg/m	
28		SINGLE GLAZING BEAD 30 MM	AD 13 - 031	0,206 Kg/m	
29		SHOULDER ALIGNMENT 67,7x67,7x33,3	AD 13 - 032	1,162 Kg/m	
30		CONNECTION APPARATUS 34x25x1,6 MM	AD 13 - 033	0,467 Kg/m	
31		ADAPTER	AD 13 - 034	0,332 Kg/m	
32		FRAME PROFILE 1,85 mm	AD 13 - 035	0,976 Kg/m	
33		SASH PROFILE 1,85 mm	AD 13 - 036	1,103 Kg/m	

Profile weights are theoretical, and the weights taken at the time of delivery are valid.











AD 13 ALDOKS PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
34		MULLION PROFILE 1,85 mm	AD 13 - 037	1,103 Kg/m	
35		ALDOKS FITTED HINGE	AD 13 - 038	0,675 Kg/m	
36		ALDOKS FITTED HINGE	AD 13 - 039	0,593 Kg/m	
37		FRAME PROFILE 1,45 mm	AD 13 - 040	0,648 Kg/m	
38		FRAME PROFILE 1,45 mm	AD 13 - 041	0,786 Kg/m	
39		SASH PROFILE 1,45 mm	AD 13 - 042	0,762 Kg/m	
40		SASH PROFILE 1,45 mm	AD 13 - 043	0,902 Kg/m	
41		MULLION PROFILE 1,45 mm	AD 13 - 044	0,762 Kg/m	
42		MULLION PROFILE 1,45 mm	AD 13 - 045	0,902 Kg/m	
43					
44					











AD 14 TUBA SERIES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		LARGE TUBA FRAME PROFILE	AD 14 - 001	1,134 Kg/m	
2		LARGE TUBA RAIL FRAME PROFILE	AD 14 - 002	1,367 Kg/m	
3		LARGE TUBA SASH PROFILE	AD 14 - 003	1,157 Kg/m	
4		LARGE TUBA FIXED FRAME ADAPTER PROFILE	AD 14 - 004	0,439 Kg/m	
5		LARGE TUBA CLAMP PROFILE	AD 14 - 005	0,447 Kg/m	
6		LARGE TUBA MEDIUM CLAMP PROFILE	AD 14 - 006	0,343 Kg/m	
7		LARGE TUBA MEDIUM CLAMP PROFILE	AD 14 - 007	0,306 Kg/m	
8		LARGE TUBA BOTTOM RAIL PROFILE	AD 14 - 008	0,242 Kg/m	
9		LARGE TUBA TOP/SIDE RAIL PROFILE	AD 14 - 009	0,206 Kg/m	
10		LARGE TUBA SINGLE BEAD PROFILE 30 MM	AD 14 - 010	0,270 Kg/m	
11		SMALL TUBA FRAME PROFILE	AD 14 - 011	0,692 Kg/m	













AD 14 TUBA SERIES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
12		SMALL TUBA FRAME PROFILE WITH FLY SCREEN	AD 14 - 012	0,927 Kg/m	
13		SMALL TUBA RAIL FRAME PROFILE	AD 14 - 013	0,822 Kg/m	
14		SMALL TUBA SASH PROFILE	AD 14 - 014	0,616 Kg/m	
15		SMALL TUBA MULLION PROFILE	AD 14 - 015	0,550 Kg/m	
16		SMALL TUBA DOUBLE GLAZING BEAD PROFILE	AD 14 - 016	0,132 Kg/m	
17		SMALL TUBA FIXED FRAME ADAPTER PROFILE	AD 14 - 017	0,322 Kg/m	
18		SMALL TUBA CLAMP PROFILE	AD 14 - 018	0,268 Kg/m	
19		SMALL TUBA MEDIUM CLAMP PROFILE	AD 14 - 019	0,170 Kg/m	
20		SMALL TUBA BOTTOM RAIL PROFILE	AD 14 - 020	0,153 Kg/m	
21		SMALL TUBA TOP/SIDE RAIL PROFILE	AD 14 - 021	0,145 Kg/m	
22		SHOULDER ALIGNMENT 30x30x12	AD 14 - 022	0,553 Kg/m	




AD 14 TUBA SERIES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
23		12x25x2 CONNECTION APPARATUS	AD 14 - 023	0,354 Kg/m	
24		GLAZING BEAD PROFILE 14,4 MM	AD 14 - 024	0,177 Kg/m	
25		FLY SCREEN RAIL	AD 14 - 025	0,421 Kg/m	
26		FLY SCREEN RAIL	AD 14 - 026	0,507 Kg/m	
27		FLY SCREEN SASH PROFILE	AD 14 - 027	0,607 Kg/m	
28		FLY SCREEN SASH MEDIUM CLAMP PROFILE	AD 14 - 028	0,111 Kg/m	
29		FLY SCREEN GLAZING BEAD PROFILE	AD 14 - 029	0,178 Kg/m	
30		SMALL TUBA LUG RAIL FRAME PROFILE	AD 14 - 030	0,967 Kg/m	
31		FLY SCREEN SASH PROFILE	AD 14 - 031	0,243 Kg/m	
32		FLY SCREEN RAIL	AD 14 - 032	0,417 Kg/m	
33		FLY SCREEN RAIL	AD 14 - 033	0,276 Kg/m	









AD 15 ALKAN SERIES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME	AD 15 - 001	0,834 Kg/m	
2		FRAME	AD 15 - 002	0,831 Kg/m	
3		FRAME	AD 15 - 003	0,649 Kg/m	
4		FLY SCREEN RAIL	AD 15 - 004	0,533 Kg/m	
5		SASH	AD 15 - 005	0,585 Kg/m	
6		SASH	AD 15 - 006	0,515 Kg/m	
7		SASH	AD 15 - 007	0,510 Kg/m	
8		SASH	AD 15 - 008	0,610 Kg/m	
9		SASH	AD 15 - 009	0,538 Kg/m	
10		SASH	AD 15 - 010	0,528 Kg/m	
11		SLIDING SASH RAIL	AD 15 - 011	0,172 Kg/m	
12		FLY SCREEN RAIL	AD 15 - 012	0,157 Kg/m	











AD 15 ALKAN SERIES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		FLY SCREEN RAIL	AD 15 - 013	0,170 Kg/m	
14		FLY SCREEN SASH	AD 15 - 014	0,344 Kg/m	
15		FLY SCREEN SASH	AD 15 - 015	0,462 Kg/m	
16					
17					
18					
19					
20					
21					
22					
23					
24					










AD 16 PVC WINDOW SYSTEMS ALUMINIUM SYSTEMS

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		17x42,8x1,1 FLY SCREEN SASH	AD 16 - 005	0,419 Kg/m	
2		10x40x1 MM MOUNT	AD 16 - 008	0,239 Kg/m	
3		32,5 LUK FLY SCREEN RAIL	AD 16 - 009	0,287 Kg/m	
4		26 LİK FLY SCREEN RAIL	AD 16 - 010	0,261 Kg/m	
5		7,4x38,2x1,2 MM SHUTTER BOTTOM PROFILE	AD 16 - 012	0,270 Kg/m	
6		SILL PROFILE 80x130x1,6 MM	AD 16 - 029	1,092 Kg/m	
7		60 SILL PROFILE 1,4 MM	AD 16 - 030	0,561 Kg/m	
8	 AD 16 - 504A	70 INSULATED SILL PROFILE	AD 16 - 052	0,858 Kg/m	BARRIER USED AD25-004 AD25-004
9		17x42,8x1,8 FLY SCREEN SASH	AD 16 - 055	0,566 Kg/m	
10					
11					
12					










AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		CAP PROFILE 49,3x23,5x0,9 MM	AD 17 - 001	0,360 Kg/m	
2		CAP PROFILE 40,2x24,6x0,85 MM	AD 17 - 002	0,294 Kg/m	
3		45x45x1,8 MM STAND PROFILE	AD 17 - 003	1,600 Kg/m	
4		RAIL CABINET PROFILE 68x38x1,1 MM	AD 17 - 004	0,541 Kg/m	
5		RAIL CABINET PROFILE 56,5x1,2 MM	AD 17 - 005	0,306 Kg/m	
6		RAIL CABINET PROFILE 23,5x49x1,25 MM	AD 17 - 006	0,540 Kg/m	
7		RAIL CABINET PROFILE 23,5x25x1,25 MM	AD 17 - 007	0,387 Kg/m	
8		RAIL CABINET PROFILE 23,5x22,2x1,25 MM	AD 17 - 008	0,313 Kg/m	
9		RAIL CABINET PROFILE 25,9x32,3x1,1 MM	AD 17 - 009	0,460 Kg/m	
10		RAIL CABINET PROFILE 27,6x32,5x1,1 MM	AD 17 - 010	0,473 Kg/m	
11		RAIL CABINET PROFILE 62,4x34,5x1,1 MM	AD 17 - 011	0,510 Kg/m	
12		RAIL CABINET PROFILE 45,9x1 MM	AD 17 - 012	0,284 Kg/m	













AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		RAIL CABINET PROFILE 63,5x1,2 MM	AD 17 - 013	0,414 Kg/m	
14		HANDLE PROFILE 16x1,2 MM	AD 17 - 014	0,361 Kg/m	
15		HANDLE PROFILE 18x1,2 MM	AD 17 - 015	0,379 Kg/m	
16		RAIL CABINET PROFILE 40,2x32,2x1,2 MM	AD 17 - 016	0,659 Kg/m	
17		HANDLE PROFILE 20,1x39,6x1,9 MM	AD 17 - 017	0,488 Kg/m	
18		HANDLE PROFILE 20,4x34,9x1,9 MM	AD 17 - 018	0,643 Kg/m	
19		RAIL CABINET PROFILE 14x28x2 MM	AD 17 - 031	0,439 Kg/m	
20		RAIL CABINET PROFILE 14,6x56,8x1,3 MM	AD 17 - 032	0,515 Kg/m	
21		RAIL CABINET PROFILE 69,6x40,5x1,4 MM	AD 17 - 033	0,721 Kg/m	
22		RAIL CABINET PROFILE 66,4x1,2 MM	AD 17 - 034	0,350 Kg/m	AD17-035
23		GLAZING BEAD PROFILE 24,9x4,7x1,45 MM	AD 17 - 035	0,117 Kg/m	
24		FLOOR FITTING PROFILE 39,8x1,3 MM	AD 17 - 036	0,190 Kg/m	








AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		FLOOR FITTING PROFILE 29,7x1 MM	AD 17 - 037	0,103 Kg/m	
26		RAIL CABINET PROFILE 84,7x50x1,7 MM	AD 17 - 038	1,247 Kg/m	
27		HANDLE PROFILE 16x1,2 MM	AD 17 - 039	0,401 Kg/m	
28		FLOOR FITTING PROFILE 38x0,85 MM	AD 17 - 040	0,119 Kg/m	
29		MDF SKIRTING BOARD WALL APPARATUS	AD 17 - 041	0,244 Kg/m	
30		FLOOR FITTING PROFILE 22,5x38x2 MM	AD 17 - 042	0,214 Kg/m	
31		HANDLE PROFILE 16x1,1 MM	AD 17 - 043	0,317 Kg/m	
32		RAIL CABINET PROFILE 71,2x40x1,1 MM	AD 17 - 051	0,664 Kg/m	
33		RAIL CABINET PROFILE 71,4x41,9x1,1 MM	AD 17 - 052	0,683 Kg/m	
34		RAIL CABINET PROFILE 74,7x39x1 MM	AD 17 - 053	0,631 Kg/m	
35		RAIL CABINET PROFILE 71,9x44,9x1,1 MM	AD 17 - 054	0,772 Kg/m	
36		HANGING PIPE PROFILE 15,4x28,9x0,9 MM	AD 17 - 055	0,165 Kg/m	











AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
37		HANDLE PROFILE 19x1 MM	AD 17 - 056	0,276 Kg/m	
38		CHIPBOARD PROFILE 19x1,2 MM	AD 17 - 057	0,168 Kg/m	
39		HANDLE PROFILE 19x1 MM	AD 17 - 058	0,249 Kg/m	
40		RAIL PROFILE 31,8x35,4x1,7 MM	AD 17 - 064	0,623 Kg/m	
41		RAIL PROFILE 15,5x25x1 MM	AD 17 - 065	0,295 Kg/m	
42		CHIPBOARD PROFILE 19x1 MM	AD 17 - 066	0,138 Kg/m	
43		CHIPBOARD PROFILE 16x1,2 MM	AD 17 - 067	0,141 Kg/m	
44		FLOOR FITTING PROFILE 24x9x0,8 MM	AD 17 - 068	0,073 Kg/m	
45		FLOOR FITTING PROFILE 42,4x13,9x1,1 MM	AD 17 - 069	0,146 Kg/m	
46		FLOOR FITTING PROFILE 24,2x9,3x1,3 MM	AD 17 - 070	0,103 Kg/m	
47		14,5x14,5x0,8 MM L PROFILE	AD 17 - 071	0,068 Kg/m	
48		20x20x0,8 MM L PROFILE	AD 17 - 072	0,089 Kg/m	













AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
49		30x30x1 MM L PROFILE	AD 17 - 073	0,160 Kg/m	
50		RAGGED RAIL CABINET PROFILE 75,2x40x1 MM	AD 17 - 078	0,621 Kg/m	
51		TOP RAIL PROFILE 90,5x1,5 MM	AD 17 - 079	0,734 Kg/m	
52		RAIL PROFILE 51x1 MM	AD 17 - 080	0,228 Kg/m	
53		10 mm CRIPPLED U PROFILE 1,1 MM	AD 17 - 082	0,136 Kg/m	
54		8 mm CRIPPLED U PROFILE 1 MM	AD 17 - 083	0,108 Kg/m	
55		CANAL RAIL PROFILE 26x14x1 MM	AD 17 - 084	0,195 Kg/m	
56		U CLOSING PROFILE 21,4x15,3x1,4 MM	AD 17 - 085	0,184 Kg/m	
57		HERRINGBONE PROFILE 35x2,1 MM	AD 17 - 086	0,119 Kg/m	
58		RAIL PROFILE 59,4x1,1 MM	AD 17 - 087	0,266 Kg/m	
59		RAIL PROFILE 55x1 MM	AD 17 - 088	0,211 Kg/m	
60		HERRINGBONE PROFILE 39,5x1,6 MM	AD 17 - 089	0,163 Kg/m	











AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
61		ELEVATION PROFILE 39,6x1,5 MM	AD 17 - 090	0,160 Kg/m	
62		HANGING RAIL PROFILE 51x34x1,6 MM	AD 17 - 091	0,734 Kg/m	
63		100 BASE PROFILE 1 MM	AD 17 - 0930	,390 Kg/m	
64		HANGING PIPE PROFILE 15x7x0,9 MM	AD 17 - 094	0,073 Kg/m	
65		TROUSER PROFILE 14,5x8x1 MM	AD 17 - 095	0,103 Kg/m	
66		T GLAZING BEAD PROFILE 8x7,6x1,3 MM	AD 17 - 096	0,062 Kg/m	
67		PIPE LEG PROFILE 8 43x1,2 MM	AD 17 - 100	0,732 Kg/m	
68		FURNITURE PROFILE 21,5x25x1,4 MM	AD 17 - 101	0,385 Kg/m	
69		FURNITURE PROFILE 8,9x6,9x1,1 MM	AD 17 - 102	0,081 Kg/m	
70		HANDLE PROFILE 18x1 MM	AD 17 - 103	0,214 Kg/m	
71		RAIL CABINET PROFILE 67x39,5x1 MM	AD 17 - 104	0,556 Kg/m	
72		50 mm BOTTOM RAIL PROFILE 0,8 MM	AD 17 - 105	0,173 Kg/m	








AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
73		55 mm BOTTOM RAIL PROFILE 0,8 MM	AD 17 - 106	0,187 Kg/m	
74		60 mm BOTTOM RAIL PROFILE 0,8 MM	AD 17 - 107	0,198 Kg/m	
75		RAIL CABINET PROFILE 70,5x24x1,1 MM	AD 17 - 108	0,621 Kg/m	
76		TENSION PROFILE 40x16,5x3 MM	AD 17 - 109	0,537 Kg/m	
77		HANDLE PROFILE 19x1,1 MM	AD 17 - 110	0,347 Kg/m	
78		GLAZING BEAD PROFILE 14,25x9,85x1,95 MM	AD 17 - 112	0,111 Kg/m	
79		TRACTION PROFILE 40x14,5x2,5 MM	AD 17 - 119	0,360 Kg/m	
80		GLAZING BEAD PROFILE 15x7x1,1 MM	AD 17 - 120	0,062 Kg/m	
81		RAIL PROFILE 61x1,1 MM	AD 17 - 121	0,325 Kg/m	
82		RAIL CABINET PROFILE 84x38x1,1 MM	AD 17 - 122	0,740 Kg/m	
83		HANDLE PROFILE 18x1,1 MM	AD 17 - 123	0,455 Kg/m	
84		CHIPBOARD PROFILE 18x1 MM	AD 17 - 124	0,163 Kg/m	












AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
85		U CLOSING PROFILE 18x1 MM	AD 17 - 125	0,084 Kg/m	
86		CHIPBOARD PROFILE 24x1,2 MM	AD 17 - 127	0,192 Kg/m	
87		U CLOSING PROFILE 28x12,5x1 MM	AD 17 - 129	0,179 Kg/m	
88		RAIL CABINET PROFILE 58x20x0,8 MM	AD 17 - 130	0,331 Kg/m	
89		55 mm BOTTOM RAIL PROFILE 0,8 MM	AD 17 - 131	0,187 Kg/m	
90		HANDLE PROFILE 18x1 MM	AD 17 - 132	0,282 Kg/m	
91		HANDLE PROFILE 18x1,1 MM	AD 17 - 134	0,333 Kg/m	
92		U CLOSING PROFILE 28x10,5x1 MM	AD 17 - 135	0,173 Kg/m	
93		CANAL RAIL PROFILE 30x14x1,2 MM	AD 17 - 136	0,276 Kg/m	
94		CANAL RAIL PROFILE 49,6x24,6x1,7 MM	AD 17 - 137	0,529 Kg/m	
95		4 mm CRIPPLED U PROFILE 1,1 MM	AD 17 - 149	0,103 Kg/m	
96		RAIL PROFILE 29,2x19,3x2,9MM	AD 17 - 150	0,537 Kg/m	













AD 17 FURNITURE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
97		18 MM CHIPBOARD EDGE PROFILE 1,25 MM	AD 17 - 151	0,089 Kg/m	
98		STILL PROFILE 43x31,5x1,5 MM	AD 17 - 152	0,379 Kg/m	
99		HANDLE PROFILE 20,4x34,7x1,7 MM	AD 17 - 153	0,529 Kg/m	
100		HANDLE PROFILE 16x0,9 MM	AD 17 - 154	0,260 Kg/m	
101		U CLOSING PROFILE 19x12,5x1 MM	AD 17 - 155	0,130 Kg/m	
102		VEGA TOP RAIL 71,7x10,3x1 MM	AD 17 - 158	0,442 Kg/m	
103		H PROFILE 22x13,5x1,5 MM	AD 17 - 164	0,222 Kg/m	
104		H PROFILE 26x11x1,5 MM	AD 17 - 165	0,198 Kg/m	
105					
106					
107					
108					













AD 18 INDUSTRY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		HINGE PROFILE	AD 18 - 006	0,575 Kg/m	
2		HINGE PROFILE	AD 18 - 007	0,518 Kg/m	
3		BASE PROFILE 118x0,8 MM	AD 18 - 019	0,447 Kg/m	
4		RAIL CABINET PROFILE 67,6x25x1 MM	AD 18 - 020	0,375 Kg/m	
5		HANDLE PROFILE 18x1 MM	AD 18 - 021	0,334 Kg/m	
6		HANDLE PROFILE 18x1 MM	AD 18 - 022	0,211 Kg/m	
7		GLAZING BEAD PROFILE 8,1x7,9x1,4 MM	AD 18 - 023	0,071 Kg/m	
8		RAIL CABINET PROFILE 25,9x30,5x1,1 MM	AD 18 - 024	0,389 Kg/m	
9		RAIL CABINET PROFILE 29,6x31,2x1,3 MM	AD 18 - 025	0,377 Kg/m	
10		RAIL CABINET PROFILE 23,2x49x1 MM	AD 18 - 026	0,425 Kg/m	
11		HANGING PIPE PROFILE 8 24x0,9 MM	AD 18 - 027	0,180 Kg/m	
12		HANDLE PROFILE 20,2x35,5x1,4 MM	AD 18 - 028	0,429 Kg/m	











AD 18 INDUSTRY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		RAIL CABINET PROFILE 23x26x1 MM	AD 18 - 029	0,304 Kg/m	
14		RAIL PROFILE 18x0,8 MM	AD 18 - 030	0,262 Kg/m	
15		INDUSTRY PROFILE 30x10x6	AD 18 - 031	0,465 Kg/m	
16		AIR CONDITIONER PROFILE 80x80x1,7 MM	AD 18 - 032	1,672 Kg/m	
17		AIR CONDITIONER PROFILE 60x60x1,5 MM	AD 18 - 033	1,193 Kg/m	
18		AIR CONDITIONER PROFILE 80x41,8x1,5 MM	AD 18 - 034	1,277 Kg/m	
19		AIR CONDITIONER PROFILE 100x63x1,7 MM	AD 18 - 035	2,038 Kg/m	
20		HANDLE PROFILE 18x1 MM	AD 18 - 042	0,266 Kg/m	
21		RAIL CABINET PROFILE 45,9x1,1 MM	AD 18 - 043	0,288 Kg/m	
22		RAIL CABINET PROFILE 58,8x19,8x1	AD 18 - 044	0,400 Kg/m	
23		HANDLE PROFILE 18x1,2 MM	AD 18 - 045	0,187 Kg/m	
24		HANDLE PROFILE 18x1 MM	AD 18 - 046	0,296 Kg/m	









AD 18 INDUSTRY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		COMPOSITE H PROFILE 5x1 MM	AD 18 - 052	0,152 Kg/m	
26		BUSBAR PROFILE 122x185x16	AD 18 - 055	20,436 Kg/m	
27		UMBRELLA PROFILE 28,8x18,3x1 MM	AD 18 - 061	0,263 Kg/m	
28		INDUSTRY PROFILE	AD 18 - 062	0,594 Kg/m	
29		INDUSTRY PROFILE	AD 18 - 063	1,545 Kg/m	
30		INDUSTRY PROFILE	AD 18 - 064	0,463 Kg/m	
31		SUITCASE PROFILE 29x21,6x0,6 MM	AD 18 - 072	0,127 Kg/m	
32		SUITCASE PROFILE 24,1x16,4x0,6 MM	AD 18 - 073	0,100 Kg/m	
33		GLAZED BALCONY GASKET PROFILE 8 MM	AD 18 - 085	0,198 Kg/m	
34		JOINT CLOSING PROFILE	AD 18 - 086	0,165 Kg/m	CAP PROFILE AD22-038
35		ANODIC GLAZING BEAD PROFILE 32,3x6,5x0,85 MM	AD 18 - 120	0,160 Kg/m	
36		POLYCARBONATE BOTTOM CAP PROFILE 1,8 MM	AD 18 - 121	0,423 Kg/m	












AD 18 INDUSTRY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
37		POLYCARBONATE TOP CAP PROFILE 1,3 MM	AD 18 - 122	0,331 Kg/m	
38		BLADE GAUGE PROFILE 90x17,5x1,4 MM	AD 18 - 123	0,726 Kg/m	
39		AIR CONDITIONER PROFILE 59,8x59,8x1,5 MM	AD 18 - 124	1,236 Kg/m	
40		100x100x1,8 BOX PROFILE	AD 18 - 1251	0,859 Kg/m	
41		100x100x1,8 BOX PROFILE	AD 18 - 126	0,393 Kg/m	
42		MARBLE FRONT BEAD PROFILE 20x35,1x1,2 MM	AD18-150	0,247 Kg/m	
43		90x90 MACHINE CHASSIS PROFILE	AD18-200	7,951 Kg/m	
44		45x45 MACHINE CHASSIS PROFILE	AD18-201	2,667 Kg/m	
45		22,5x180 MACHINE TRAY PROFILE	AD18-202	6,431 Kg/m	
46		WALL WASHER PROFILE	AD18-203	0,515 Kg/m	
47		WALL WASHER PROFILE	AD18-204	0,637 Kg/m	
48		WALL WASHER PROFILE	AD18-205	0,545 Kg/m	











AD 18 INDUSTRY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
49		WALL WASHER PROFILE	AD18-206	0,482 Kg/m	
50		1,6 mm CRIPPLED U PROFILE 1,1 MM	AD18-263	0,049 Kg/m	
51		OMEGA PROFILE 37x5x2 MM	AD18-269	0,233 Kg/m	
52		H PROFILE 4,5x2 MM	AD18-270	0,276 Kg/m	
53		TRAILER PROFILE 86x109,2x2,5 MM	AD18-294	1,106 Kg/m	
54		COMPOSITE H PROFILE 4,95x1,2 MM	AD18-297	0,211 Kg/m	
55		TRAILER PROFILE 60x15x1,5 MM	AD18-300	0,659 Kg/m	
56		COMPOSITE CORNER PROFILE 5x1,2 MM	AD18-318	0,233 Kg/m	
57		COMPOSITE FINISH PROFILE 4,8x1,6 MM	AD18-319	0,182 Kg/m	
58		200 FOLDABLE PROFILE 2,8 MM	AD18-400	2,260 Kg/m	
59		CAP PROFILE 50x20x1,8 MM	AD18-438	0,423 Kg/m	
60					













AD 19 GLAZED BALCONY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		40x62,3x2,4 GLAZED BALCONY FRAME PROFILE (OFFSET TYPE)	AD 19 - 001	1,573 Kg/m	
2		40x62,3x2,4 GLAZED BALCONY FRAME PROFILE	AD 19 - 002	1,516 Kg/m	
3		43,6x73x1,4 GLAZED BALCONY ADDITIONAL PROFILE	AD 19 - 003	0,860 Kg/m	
4		39,8x41,8x1,4 GLAZED BALCONY SASH PROFILE 8 MM	AD 19 - 004	0,862 Kg/m	
5		40x27x1,2 GLAZED BALCONY SIDE STRUT PROFILE	AD 19 - 005	0,439 Kg/m	
6		43,6x100x1,4 GLAZED BALCONY ADDITIONAL PROFILE	AD 19 - 006	1,220 Kg/m	
7		40x1,2 PLATE PROFILE	AD 19 - 007	0,130 Kg/m	
8		40x62x1,7 GLAZED BALCONY EKO FRAME PROFILE	AD 19 - 008	0,460 Kg/m	
9		40x62x1,7 GLAZED BALCONY EKO FRAME PROFILE	AD 19 - 009	1,356 Kg/m	
10		8 MM GLAZED BALCONY GASKET PROFILE	AD 19 - 010	0,149 Kg/m	
11		8 MM GLAZED BALCONY GASKET PROFILE	AD 19 - 011	0,144 Kg/m	
12		8 MM GLAZED BALCONY 90 ° GASKET PROFILE	AD 19 - 012	0,141 Kg/m	




AD 19 GLAZED BALCONY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		8 MM GLAZED BALCONY 135 0 GASKET PROFILE	AD 19 - 013	0,136 Kg/m	
14		8 MM GLAZED BALCONY GASKET PROFILE	AD 19 - 014	0,138 Kg/m	
15		8 MM GLAZED BALCONY GASKET PROFILE	AD 19 - 015	0,127 Kg/m	
16		8 MM GLAZED BALCONY GASKET PROFILE	AD 19 - 016	0,152 Kg/m	
17		OFFSET TYPE PROFILE	AD 19 - 017	0,491 Kg/m	
18		8 mm H GASKET PROFILE	AD 19 - 018	0,146 Kg/m	
19		8 mm h GASKET PROFILE	AD 19 - 019	0,122 Kg/m	
20		SLIDING GLAZED BALCONY 5 BOTTOM FRAME PROFILE WITH SILL	AD 19 - 020	1,230 Kg/m	
21		SLIDING GLAZED BALCONY 3 BOTTOM FRAME PROFILE WITH SILL	AD 19 - 021	0,745 Kg/m	
22		SLIDING GLAZED BALCONY 5 BOTTOM FRAME PROFILE WITHOUT SILL	AD 19 - 022	0,482 Kg/m	
23		SLIDING GLAZED BALCONY 3 BOTTOM FRAME PROFILE WITHOUT SILL	AD 19 - 023	0,298 Kg/m	
24		SLIDING GLAZED BALCONY 5 TOP FRAME PROFILE	AD 19 - 024	1,575 Kg/m	













AD 19 GLAZED BALCONY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		SLIDING GLAZED BALCONY 3 TOP FRAME PROFILE	AD 19 - 025	0,995 Kg/m	
26		SLIDING GLAZED BALCONY 8 MM BOTTOM BASE PROFILE	AD 19 - 026	1,054 Kg/m	
27		SLIDING GLAZED BALCONY 10 MM BOTTOM BASE PROFILE	AD 19 - 027	1,033 Kg/m	
28		SLIDING GLAZED BALCONY 10 MM TOP BASE PROFILE	AD 19 - 028	0,155 Kg/m	
29		SLIDING GLAZED BALCONY 10 MM GLAZING BEAD PROFILE	AD 19 - 029	0,119 Kg/m	
30		8 MM GLAZED BALCONY GASKET PROFILE	AD 18 - 085	0,198 Kg/m	
31		40x44x1,5 GLAZED BALCONY SASH PROFILE 8 MM	AD 19 - 0570	,989 Kg/m	
32		10 MM GLAZED BAL- CONY GASKET PROFILE	AD 19 - 058	0,157 Kg/m	
33		40x85x2 GLAZED BALCONY FRAME PROFILE	AD 19 - 059	1,621 Kg/m	
34		40x85x2 GLAZED BALCONY FRAME PROFILE (OFFSET TYPE)	AD 19 - 060	1,659 Kg/m	
35		40x37x1,1 GLAZED BALCONY SIDE STRUT PROFILE	AD 19 - 061	0,474 Kg/m	
36		8 MM GLAZED BALCONY GASKET PROFILE	AD 19 - 062	0,211 Kg/m	













AD 19 GLAZED BALCONY PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
37		GLAZED BALCONY HANDLE PROFILE	AD 19 - 063	0,558 Kg/m	
38		40x62x1,4 GLAZED BALCONY EKO FRAME PROFILE	AD 19 - 064	1,192 Kg/m	
39		39,8x41,8x1,3 GLAZED BALCONY SASH - PROFILE 8 MM	AD 19 - 065	0,813 Kg/m	
40					
41					
42					
43					
44					
45					
46					
47					
48					

AD 55 NON-INSULATED SYSTEM PROFILES













No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME PROFILE	AD 20 - 001	0,905 Kg/m	
2		FRAME PROFILE	AD 20 - 002	0,986 Kg/m	
3		FRAME PROFILE	AD 20 - 003	1,068 Kg/m	
4		FRAME PROFILE	AD 20 - 004	1,208 Kg/m	
5		FRAME PROFILE WITH SILL	AD 20 - 005	0,980 Kg/m	
6		FRAME PROFILE	AD 20 - 006	0,930 Kg/m	
7		SASH PROFILE	AD 20 - 007	1,005 Kg/m	
8		SASH PROFILE	AD 20 - 008	1,085 Kg/m	
9		PVC ACCESSORY COMPATIBLE SASH PROFILE	AD 20 - 009	1,166 Kg/m	
10		SASH PROFILE	AD 20 - 010	1,228 Kg/m	
11		SASH PROFILE	AD 20 - 011	1,314 Kg/m	
12		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET	AD 20 - 012	1,314 Kg/m	

AD 55 NON-INSULATED SYSTEM PROFILES













No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		SASH PROFILE	AD 20 - 013	1,490 Kg/m	
14		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET	AD 20 - 014	1,490 Kg/m	
15		MULLION PROFILE	AD 20 - 015	1,045 Kg/m	
16		MULLION PROFILE	AD 20 - 016	1,125 Kg/m	
17		MULLION PROFILE	AD 20 - 017	1,206 Kg/m	
18		MULLION PROFILE	AD 20 - 018	1,350 Kg/m	
19		MULLION PROFILE	AD 20 - 019	1,661 Kg/m	
20		BOTTOM PROFILE	AD 20 - 020	1,735 Kg/m	
21		FLUSH OUTWARD OPENING SASH PROFILE	AD 20 - 021	1,170 Kg/m	
22		FLUSH INWARD OPENING SASH PROFILE	AD 20 - 022	1,173 Kg/m	
23		STRUCTURAL MULLION PROFILE	AD 20 - 023	1,800 Kg/m	
24		STRUCTURAL MULLION PROFILE	AD 20 - 024	1,955 Kg/m	

Profile weights are theoretical, and the weights taken at the time of delivery are valid.











AD 55 NON-INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		SASH MEDIUM ADAPTER PROFILE WITH ACOUSTIC GASKET	AD 20 - 025	0,986 Kg/m	
26		PIVOT WINDOW ADAPTER PROFILE	AD 20 - 026	0,958 Kg/m	
27		OUTWARD OPENING SASH FRAME ADAPTER PROFILE WITH ACOUSTIC GASKET	AD 20 - 027	0,835 Kg/m	
28		FLUSH DOOR FRAME ADAPTER PROFILE	AD 20 - 028	0,705 Kg/m	
29		DOOR BOTTOM STRIP ADAPTER PROFILE	AD 20 - 029	0,614 Kg/m	
30		FLUSH MEDIUM ADAPTER PROFILE	AD 20 - 030	0,642 Kg/m	
31		ADAPTER PROFILE	AD 20 - 031	0,273 Kg/m	
32		SWINGING DOOR ADAPTER PROFILE	AD 20 - 032	0,570 Kg/m	
33		SWINGING DOOR ADAPTER PROFILE	AD 20 - 033	0,343 Kg/m	
34		ADAPTER PROFILE	AD 20 - 034	0,444 Kg/m	
35		T PROFILE	AD 20 - 035	0,186 Kg/m	
36		T PROFILE	AD 20 - 036	0,186 Kg/m	













AD 55 NON-INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
37		OFFSET TYPE PROFILE	AD 20 - 037	0,228 Kg/m	
38		ROD PROFILE	AD 20 - 038	0,130 Kg/m	
39		MULLION CONNECTION PROFILE	AD 20 - 039	0,850 Kg/m	
40		GLAZING BEAD PROFILE	AD 20 - 040	0,198 Kg/m	
41		CENTER SEAL	AD 20 - 041	0,217 Kg/m	
42		CENTER SEAL	AD 20 - 042	0,216 Kg/m	
43		FRAME PROFILE WALL THICKNESS 2 mm	AD 20 - 043	1,344 Kg/m	
44		SASH PROFILE WALL THICKNESS 2 mm	AD 20 - 044	1,374 Kg/m	
45		SASH PROFILE WALL THICKNESS 2 mm	AD 20 - 045	1,753 Kg/m	
46		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET WALL THICKNESS 2 mm	AD 20 - 046	1,753 Kg/m	
47		MULLION PROFILE WALL THICKNESS 2 mm	AD 20 - 047	1,507 Kg/m	
48		SCREW CORNER CONNECTION PROFILE 61,5x61,5x23,8	AD 20 - 048	1,079 Kg/m	

AD 55 NON-INSULATED SYSTEM PROFILES













No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
49		SCREW CORNER CONNECTION PROFILE 71,5x71,5x33,8	AD 20 - 049	1,176 Kg/m	
50		SCREW CORNER CONNECTION PROFILE 81,5x81,5x43,8	AD 20 - 050	1,271 Kg/m	
51		SCREW CORNER CONNECTION PROFILE 81,5x81,5x43,8	AD 20 - 051	1,415 Kg/m	
52		SCREW CORNER CONNECTION PROFILE 51,5x51,5x13,8	AD 20 - 052	0,984 Kg/m	
53		SCREW CORNER CONNECTION PROFILE 54x56x16,3	AD 20 - 053	1,016 Kg/m	
54		FRAME PROFILE WALL THICKNESS 2 mm	AD 20 - 054	1,236 Kg/m	
55		MULLION PROFILE WALL THICKNESS 2 mm	AD 20 - 055	1,398 Kg/m	
56		PVC ACCESSORY COMPATIBLE SASH PROFILE WALL THICKNESS 2 mm	AD 20 - 056	1,423 Kg/m	
57		PVC ACCESSORY COMPATIBLE SASH PROFILE WALL THICKNESS 2 mm Note: To be molded when an Order is Received.	AD 20 - 057	1,808 Kg/m	
58		PVC ACCESSORY COMPATIBLE SASH PROFILE WALL THICKNESS 1,8 mm Note: To be molded when an Order is Received.	AD 20 - 058	1,686 Kg/m	
59					
60					

AD 55 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
1		FRAME PROFILE	AD 21 - 001	AD 21 - 501 0,461 Kg/m	AD 21 - 502 0,548 Kg/m	1,148 Kg/m	AD25-001 AD25-002 0,139 Kg/m
2		FRAME PROFILE	AD 21 - 002	AD 21 - 503 0,542 Kg/m	AD 21 - 504 0,630 Kg/m	1,312 Kg/m	AD25-001 AD25-002 0,140 Kg/m
3		FRAME PROFILE	AD 21 - 003	AD 21 - 505 0,623 Kg/m	AD 21 - 506 0,711 Kg/m	1,475 Kg/m	AD25-001 AD25-002 0,141 Kg/m
4		FRAME PROFILE	AD 21 - 004	AD 21 - 507 0,727 Kg/m	AD 21 - 508 0,817 Kg/m	1,685 Kg/m	AD25-001 AD25-002 0,141 Kg/m
5		FRAME PROFILE WITH SILL	AD 21 - 005	AD 21 - 501 0,461 Kg/m	AD 21 - 509 0,648 Kg/m	1,250 Kg/m	AD25-001 AD25-002 0,142 Kg/m
6		FRAME PROFILE WITH SILL	AD 21 - 006	AD 21 - 503 0,556 Kg/m	AD 21 - 510 0,833 Kg/m	1,530 Kg/m	AD25-001 AD25-002 0,140 Kg/m
7		SASH PROFILE	AD 21 - 007	AD 21 - 511 0,456 Kg/m	AD 21 - 512 0,671 Kg/m	1,272 Kg/m	AD25-002 AD25-003 0,145 Kg/m
8		SASH PROFILE	AD 21 - 008	AD 21 - 513 0,537 Kg/m	AD 21 - 514 0,752 Kg/m	1,435 Kg/m	AD25-002 AD25-003 0,146 Kg/m
9		PVC ACCESSORY COMPATIBLE SASH PROFILE	AD 21 - 009	AD 21 - 513 0,537 Kg/m	AD 21 - 515 0,772 Kg/m	1,455 Kg/m	AD25-002 AD25-003 0,146 Kg/m
10		SASH PROFILE	AD 21 - 010	AD 21 - 516 0,637 Kg/m	AD 21 - 517 0,863 Kg/m	1,646 Kg/m	AD25-002 AD25-003 0,146 Kg/m
11		SASH PROFILE	AD 21 - 011	AD 21 - 518 0,721 Kg/m	AD 21 - 519 0,947 Kg/m	1,815 Kg/m	AD25-002 AD25-003 0,147 Kg/m
12		SASH PROFILE	AD 21 - 012	AD 21 - 520 0,847 Kg/m	AD 21 - 521 1,072 Kg/m	2,065 Kg/m	AD25-002 AD25-003 0,146 Kg/m

Profile weights are theoretical, and the weights taken at the time of delivery are valid.













AD 55 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
13		SASH PROFILE	AD 21 - 013	AD 21 - 522 0,386 Kg/m	AD 21 - 523 0,683 Kg/m	1,215 Kg/m	AD25-002 AD25-003 0,146 Kg/m
14		SCREW CORNER CONNECTION PROFILE 54x56x16,3	AD 21 - 014	AD 21 - 525 1,296 Kg/m	AD 21 - 524 0,808 Kg/m	2,235 Kg/m	AD25-003 AD25-006 0,131 Kg/m
15		MULLION PROFILE	AD 21 - 015	AD 21 - 526 0,552 Kg/m	AD 21 - 527 0,583 Kg/m	1,295 Kg/m	AD25-001 AD25-001 0,160 Kg/m
16		MULLION PROFILE	AD 21 - 016	AD 21 - 528 0,633 Kg/m	AD 21 - 529 0,664 Kg/m	1,458 Kg/m	AD25-001 AD25-001 0,160 Kg/m
17		MULLION PROFILE	AD 21 - 017	AD 21 - 530 0,715 Kg/m	AD 21 - 531 0,746 Kg/m	1,620 Kg/m	AD25-001 AD25-001 0,160 Kg/m
18		MULLION PROFILE	AD 21 - 018	AD 21 - 532 0,824 Kg/m	AD 21 - 533 0,851 Kg/m	1,835 Kg/m	AD25-001 AD25-001 0,160 Kg/m
19		MULLION PROFILE	AD 21 - 019	AD 21 - 535 1,106 Kg/m	AD 21 - 534 1,125 Kg/m	2,392 Kg/m	AD25-001 AD25-001 0,161 Kg/m
20		BOTTOM PROFILE	AD 21 - 020	AD 21 - 537 1,144 Kg/m	AD 21 - 536 1,234 Kg/m	2,518 Kg/m	AD25-001 AD25-002 0,140 Kg/m
21		FLUSH OUTWARD OPENING SASH PROFILE	AD 21 - 021	AD 21 - 539 0,807 Kg/m	AD 21 - 538 0,833 Kg/m	1,750 Kg/m	AD25-004 AD25-004 0,110 Kg/m
22		FLUSH INWARD OPENING SASH PROFILE	AD 21 - 022	AD 21 - 541 0,700 Kg/m	AD 21 - 540 0,903 Kg/m	1,712 Kg/m	AD25-004 AD25-004 0,109 Kg/m
23		STRUCTURAL MULLION PROFILE	AD 21 - 023	AD 21 - 542 1,296 Kg/m	AD 21 - 529 0,667 Kg/m	2,125 Kg/m	AD25-001 AD25-001 0,162 Kg/m
24		STRUCTURAL MULLION PROFILE	AD 21 - 024	AD 21 - 543 1,462 Kg/m	AD 21 - 529 0,667 Kg/m	2,290 Kg/m	AD25-001 AD25-001 0,162 Kg/m










Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD21-002

AD 55 T INSULATED SYSTEM PROFILES













No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
25		SASH MEDIUM ADAPTER PROFILE WITH ACOUSTIC GASKET	AD 21 - 025	AD 21 - 544 0,539 Kg/m	AD 21 - 545 0,546 Kg/m	1,226 Kg/m	AD25-001 AD25-002 0,140 Kg/m
26		OUTWARD OPENING SASH FRAME ADAPTER PROFILE WITH ACOUSTIC GASKET	AD 21 - 026	AD 21 - 547 0,523 Kg/m	AD 21 - 546 0,469 Kg/m	1,132 Kg/m	AD25-001 AD25-002 0,140 Kg/m
27		PIVOT WINDOW ADAPTER	AD 21 - 027	AD 21 - 549 0,378 Kg/m	AD 21 - 548 0,791 Kg/m	1,316 Kg/m	AD25-002 AD25-003 0,146 Kg/m
28		FLUSH DOOR FRAME ADAPTER PROFILE	AD 21 - 028	AD 21 - 551 0,251 Kg/m	AD 21 - 550 0,632 Kg/m	0,992 Kg/m	AD25-004 AD25-004 0,109 Kg/m
29		FLUSH INWARD OPENING SASH MEDIUM ADAPTER PROFILE	AD 21 - 029	AD 21 - 552 0,398 Kg/m	AD 21 - 553 0,451 Kg/m	0,958 Kg/m	AD25-004 AD25-004 0,110 Kg/m
30		FLUSH OUTWARD OPENING SASH MEDIUM ADAPTER PROFILE	AD 21 - 030	AD 21 - 555 0,218 Kg/m	AD 21 - 554 0,602 Kg/m	0,930 Kg/m	AD25-004 AD25-004 0,109 Kg/m
31		130 ° CORNER PROFILE	AD 21 - 031	AD 21 - 556 0,469 Kg/m	AD 21 - 557 0,311 Kg/m	0,900 Kg/m	AD25-002 AD25-002 0,121 Kg/m
32		90 ° CORNER PROFILE	AD 21 - 032	AD 21 - 558 0,819 Kg/m	AD 21 - 559 0,363 Kg/m	1,302 Kg/m	AD25-002 AD25-002 0,120 Kg/m
33		SINGLE GLAZING BEAD PROFILE 38,5 MM	AD 21 - 033			0,350 Kg/m	
34		SINGLE GLAZING BEAD PROFILE 34,5 MM	AD 21 - 034			0,336 Kg/m	
35		DOUBLE GLAZING BEAD PROFILE 28,5 MM	AD 21 - 035			0,312 Kg/m	
36		DOUBLE GLAZING BEAD PROFILE 23,5 MM	AD 21 - 036			0,293 Kg/m	

AD 55 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
37		DOUBLE GLAZING BEAD PROFILE 19,5 MM	AD 21 - 037			0,279 Kg/m	
38		DOUBLE GLAZING BEAD PROFILE 11,5 MM	AD 21 - 038			0,247 Kg/m	
39		CORNER PROFILE	AD 21 - 039	AD 21 - 560 0,589 Kg/m	AD 21 - 561 0,443 Kg/m	1,132 Kg/m	AD25-007 AD25-007 0,100 Kg/m
40		BEAD PROFILE	AD 21 - 040			0,179 Kg/m	
41		BEAD PROFILE	AD 21 - 041			0,140 Kg/m	
42		MULLION CONNECTION PROFILE	AD 21 - 042			0,327 Kg/m	
43		MULLION CONNECTION PROFILE	AD 21 - 043			0,347 Kg/m	
44		CORNER BLOCK PROFILE 64x64x13,8	AD 21 - 044			3,030 Kg/m	
45		CORNER BLOCK PROFILE 72x72x23,8	AD 21 - 045			3,566 Kg/m	
46		CORNER BLOCK PROFILE 82x82x33,8	AD 21 - 046			4,157 Kg/m	
47		CORNER BLOCK PROFILE 70x70x16,3	AD 21 - 047			3,220 Kg/m	
48		CORNER BLOCK PROFILE 92x92x43,8	AD 21 - 048			5,307 Kg/m	













Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 55 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
49		PIVOT HINGE	AD 21 - 049			1,575 Kg/m	
50		CORNER BLOCK PROFILE 108,8x108,8x58,8	AD 21 - 050			6,366 Kg/m	
51		WALL THICKNESS 2 mm FRAME PROFILE	AD 21 - 051	AD 21 - 562 0,762 Kg/m	AD 21 - 563 0,867 Kg/m	1,768 Kg/m	AD25-001 AD25-002 0,139 Kg/m
52		WALL THICKNESS 2 mm SASH PROFILE	AD 21 - 052	AD 21 - 564 0,648 Kg/m	AD 21 - 565 0,916 Kg/m	1,710 Kg/m	AD25-002 AD25-003 0,146 Kg/m
53		WALL THICKNESS 2 mm SASH PROFILE	AD 21 - 053	AD 21 - 566 1,016 Kg/m	AD 21 - 567 1,287 Kg/m	2,449 Kg/m	AD25-002 AD25-003 0,146 Kg/m
54		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET WALL THICKNESS 2 MM	AD 21 - 054	AD 21 - 569 1,575 Kg/m	AD 21 - 568 0,970 Kg/m	2,676 Kg/m	AD25-003 AD25-006 0,131 Kg/m
55		WALL THICKNESS 2 mm MULLION PROFILE	AD 21 - 055	AD 21 - 570 0,875 Kg/m	AD 21 - 571 0,900 Kg/m	1,936 Kg/m	AD25-001 AD25-001 0,161 Kg/m
56		WALL THICKNESS 2 mm FRAME PROFILE	AD 21 - 056	AD 21 - 572 0,547 Kg/m	AD 21 - 573 0,656 Kg/m	1,343 Kg/m	AD25-001 AD25-002 0,140 Kg/m
57		WALL THICKNESS 2 mm FRAME PROFILE	AD 21 - 057	AD 21 - 574 0,656 Kg/m	AD 21 - 575 0,762 Kg/m	1,558 Kg/m	AD25-001 AD25-002 0,140 Kg/m
58		WALL THICKNESS 2 mm FRAME PROFILE	AD 21 - 058	AD 21 - 576 0,867 Kg/m	AD 21 - 577 0,973 Kg/m	1,980 Kg/m	AD25-001 AD25-002 0,140 Kg/m
59		WALL THICKNESS 2 mm FRAME PROFILE WITH SILL	AD 21 - 059	AD 21 - 572 0,547 Kg/m	AD 21 - 578 0,786 Kg/m	1,473 Kg/m	AD25-001 AD25-002 0,140 Kg/m
60		WALL THICKNESS 2 mm FRAME PROFILE WITH SILL	AD 21 - 060	AD 21 - 574 0,656 Kg/m	AD 21 - 579 1,005 Kg/m	1,801 Kg/m	AD25-001 AD25-002 0,140 Kg/m










Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 55 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
61		WALL THICKNESS 2 mm SASH PROFILE	AD 21 - 061	AD 21 - 580 0,542 Kg/m	AD 21 - 581 0,813 Kg/m	1,500 Kg/m	AD25-002 AD25-003 0,145 Kg/m
62		WALL THICKNESS 2 mm PVC ACCES.. COMPATIBLE SASH PROFILE	AD 21 - 062	AD 21 - 564 0,648 Kg/m	AD 21 - 582 0,927 Kg/m	1,720 Kg/m	AD25-002 AD25-003 0,145 Kg/m
63		WALL THICKNESS 2 mm SASH PROFILE	AD 21 - 063	AD 21 - 583 0,753 Kg/m	AD 21 - 584 1,022 Kg/m	1,920 Kg/m	AD25-002 AD25-003 0,145 Kg/m
64		WALL THICKNESS 2 mm SASH PROFILE	AD 21 - 064	AD 21 - 585 0,859 Kg/m	AD 21 - 586 1,127 Kg/m	2,131 Kg/m	AD25-002 AD25-003 0,145 Kg/m
65		WALL THICKNESS 2 mm SASH PROFILE	AD 21 - 065	AD 21 - 587 0,453 Kg/m	AD 21 - 588 0,824 Kg/m	1,422 Kg/m	AD25-002 AD25-003 0,145 Kg/m
66		WALL THICKNESS 2 mm MULLION PROFILE	AD 21 - 066	AD 21 - 589 0,664 Kg/m	AD 21 - 590 0,688 Kg/m	1,512 Kg/m	AD25-001 AD25-001 0,160 Kg/m
67		WALL THICKNESS 2 mm MULLION PROFILE	AD 21 - 067	AD 21 - 591 0,770 Kg/m	AD 21 - 592 0,794 Kg/m	1,724 Kg/m	AD25-001 AD25-001 0,160 Kg/m
68		WALL THICKNESS 2 mm MULLION PROFILE	AD 21 - 068	AD 21 - 593 0,981 Kg/m	AD 21 - 594 1,005 Kg/m	2,146 Kg/m	AD25-001 AD25-001 0,160 Kg/m
69		WALL THICKNESS 2 mm MULLION PROFILE	AD 21 - 069	AD 21 - 596 1,298 Kg/m	AD 21 - 595 1,323 Kg/m	2,781 Kg/m	AD25-001 AD25-001 0,160 Kg/m
70		WALL THICKNESS 2 mm BOTTOM PROFILE	AD 21 - 070	AD 21 - 598 1,331 Kg/m	AD 21 - 597 1,439 Kg/m	2,910 Kg/m	AD25-001 AD25-002 0,140 Kg/m
71		WALL THICKNESS 2 mm STRUCTURAL MULLION PROFILE	AD 21 - 071	AD 21 - 603 1,613 Kg/m	AD 21 - 592 0,794 Kg/m	2,567 Kg/m	AD25-001 AD25-001 0,160 Kg/m
72		WALL THICKNESS 2 mm STRUCTURAL MULLION PROFILE	AD 21 - 072	AD 21 - 604 1,832 Kg/m	AD 21 - 592 0,794 Kg/m	2,786 Kg/m	AD25-001 AD25-001 0,160 Kg/m






Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 55 T INSULATED SYSTEM PROFILES





No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
73		1,5 mm PVC ACCESSORY COMPATIBLE SASH PROFILE	AD 21 - 073	AD 21 - 520 0,847 Kg/m	AD 21 - 605 1,087 Kg/m	2,080 Kg/m	AD25-002 AD25-003 0,146 Kg/m
74		MULLION CONNECTION PROFILE	AD 21 - 074			0,623 Kg/m	
75		MULLION CONNECTION PROFILE	AD 21 - 075			0,444 Kg/m	
76		MULLION CONNECTION PROFILE	AD 21 - 076			0,420 Kg/m	
77		MULLION CONNECTION PROFILE (WITH SOCKET SCREW)	AD 21 - 077			0,388 Kg/m	
78		FLUSH OUTWARD OPENING SASH PROFILE WALL THICKNESS 2 MM	AD 21 - 078	AD 21 - 600 0,940 Kg/m	AD 21 - 599 0,970 Kg/m	2,020 Kg/m	AD25-004 AD25-004 0,110 Kg/m
79		FLUSH INWARD OPENING SASH PROFILE WALL THICKNESS 2 MM	AD 21 - 079	AD 21 - 602 0,810 Kg/m	AD 21 - 601 1,060 Kg/m	1,980 Kg/m	AD25-004 AD25-004 0,110 Kg/m
80		HINGE PROFILE	AD 21 - 080			0,575 Kg/m	
81		HINGE PROFILE	AD 21 - 081			0,640 Kg/m	
82		64 T INNER WOOD – OUTER INSULATED ALUM. WINDOW SYSTEM FRAME PROFILE	AD 21 - 082	AD 21 - 574 0,656 Kg/m	AD 21 - 606 0,802 Kg/m	1,598 Kg/m	AD25-001 AD25-002 0,140 Kg/m
83		64 T INNER WOOD – OUTER INSULATED ALUM. WINDOW SYSTEM SASH PROFILE	AD 21 - 083	AD 21 - 607 0,661 Kg/m	AD 21 - 608 0,878 Kg/m	1,684 Kg/m	AD25-002 AD25-003 0,145 Kg/m
84		64 T INNER WOOD – OUTER INSULATED ALUM. WINDOW SYSTEM MULLION PROFILE	AD 21 - 084	AD 21 - 591 0,770 Kg/m	AD 21 - 609 0,846 Kg/m	1,776 Kg/m	AD25-001 AD25-001 0,160 Kg/m

Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 55 T INSULATED SYSTEM PROFILES










No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier (Kg/m)
				Outer	Inner		
85		64 T INNER WOOD – OUTER INSULATED ALUM. WINDOW SYSTEM 24 mm GLAZING BEAD PROFILE	AD 21 - 085			0,274 Kg/m	
86		64 T INNER WOOD – OUTER INSULATED ALUM. WINDOW SYSTEM CANAL CLOSING PROFILE	AD 21 - 086			0,068 Kg/m	
87		DOUBLE GLAZING BEAD PROFILE 15,5 MM	AD 21 - 087			0,252 Kg/m	
88		OVAL FRAME PROFILE	AD 21 - 088	AD 21 - 610 0,797 Kg/m	AD 21 - 506 0,711 Kg/m	1,648 Kg/m	AD25-001 AD25-002 0,140 Kg/m
89		PVC CANAL OUTWARD OPENING SASH PROFILE Note: To be molded when an Order is Received.	AD 21 - 089	AD 21 - 611 1,108 Kg/m	AD 21 - 612 0,607 Kg/m	1,846 Kg/m	AD25-003 AD25-006 0,131 Kg/m
90							
91							
92							
93							
94							
95							
96							

AD 50F FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)	Static (Ix - Iy cm4)	
1		AD 22 - 001	50 Vertical Grillage	1,535 Kg/m	Jx : 32,11 cm4 Jy : 14,23 cm4	
2		AD 22 - 002	80 Vertical Grillage	1,848 Kg/m	Jx : 79,06 cm4 Jy : 20,95 cm4	
3		AD 22 - 003	100 Vertical Grillage	2,033 Kg/m	Jx : 126,06 cm4 Jy : 24,90 cm4	
4		AD 22 - 004	120 Vertical Grillage	2,267 Kg/m	Jx : 190,06 cm4 Jy : 29,87 cm4	
5		AD 22 - 005	140 Vertical Grillage	2,586 Kg/m	Jx : 300,84 cm4 Jy : 34,87 cm4	
6		AD 22 - 006	150 Vertical Grillage	2,915 Kg/m	Jx : 407,73 cm4 Jy : 38,27 cm4	













Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 50F FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)	Static (Ix - Iy cm4)	
7		AD 22 - 007	80x80 Vertical Grillage	2,721 Kg/m	Jx : 104,45 cm4 Jy : 104,45 cm4	
8		AD 22 - 008	Vertical Grillage	1,415 Kg/m	Jx : 30,62 cm4 Jy : 9,46 cm4	
9		AD 22 - 009	80 Horizontal Grillage	1,586 Kg/m	Jx : 68,43 cm4 Jy : 19,32 cm4	
10		AD 22 - 010	65 Horizontal Grillage	1,445 Kg/m	Jx : 44,44 cm4 Jy : 16,29 cm4	
11		AD 22 - 011	50 Horizontal Grillage	1,315 Kg/m	Jx : 26,67 cm4 Jy : 13,48 cm4	
12		AD 22 - 012	35 Horizontal Grillage	1,177 Kg/m	Jx : 14,05 cm4 Jy : 10,52 cm4	
13		AD 22 - 013	126 Horizontal Grillage	2,102 Kg/m	Jx : 189,85 cm4 Jy : 30,30 cm4	
14		AD 22 - 014	106 Horizontal Grillage	1,860 Kg/m	Jx : 127,03 cm4 Jy : 25,16 cm4	
15		AD 22 - 015	86 Horizontal Grillage	1,637 Kg/m	Jx : 79,71 cm4 Jy : 20,44 cm4	
16		AD 22 - 016	Sash+Cassette	1,177Kg/m	Jx : 20,09 cm4 Jy : 3,56 cm4	AD22-501 :0,789 Kg/m AD22-502:0,296 Kg/m BARIYER :0,092 Kg/m AD25-00 AD25-006










Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 50F FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)	Static (Ix - Iy cm ⁴)	
17		AD 22 - 017	Sash+Cassette	0,831 Kg/m	Jx : 10,30 cm ⁴ Jy : 2,6 cm ⁴	
18		AD 22 - 018	Sash+Cassette	0,843 Kg/m	Jx : 10,55 cm ⁴ Jy : 2,6 cm ⁴	
19		AD 22 - 019	Concealed Sash Frame Profile	0,647 Kg/m		
20		AD 22 - 020	Concealed Sash Frame Profile	0,700 Kg/m		
21		AD 22 - 021	PVC Frame Insulation Profile			
22		AD 22 - 022	PVC Frame Insulation Profile			
23		AD 22 - 023	Bonding Glazing Bead	0,222 Kg/m		
24		AD 22 - 024	Bonding Glazing Bead	0,108 Kg/m		
25		AD 22 - 025	Sash+Cassette	0,805 Kg/m	Jx : 10,40 cm ⁴ Jy : 2,4 cm ⁴	
26		AD 22 - 026	Glazing Safety Bead	0,340 Kg/m		
27	 AD22-503 AD22-504	AD 22 - 027	Finish Profile	0,942 Kg/m	BARRIER USED AD25-002 AD25-002	AD22-503:0,575 Kg/m AD22-504:0,247 Kg/m BARRIER :0,120 Kg/m
28	 AD22-505 AD22-506	AD 22 - 028	Finish Profile	0,658 Kg/m	BARRIER USED AD25-005 AD25-005	AD22-505:0,300 Kg/m AD22-506:0,231 Kg/m BARRIER :0,127 Kg/m











Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 50F FACADE SYSTEM PROFILES










No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)		
29		AD 22 - 029	20 CAP PROFILE	0,338 Kg/m		
30		AD 22 - 030	18 CAP PROFILE	0,325 Kg/m		
31		AD 22 - 031	16 CAP PROFILE	0,312 Kg/m		
32		AD 22 - 032	14 CAP PROFILE	0,299 Kg/m		
33		AD 22 - 033	Glazing Press Cap	0,408 Kg/m		
34		AD 22 - 034	Glazing Press Cap	0,488 Kg/m		
35		AD 22 - 035	100 CAP PROFILE	1,328 Kg/m		
36		AD 22 - 036	CAP PROFILE	1,182 Kg/m		
37		AD 22 - 037	CAP PROFILE	0,290 Kg/m		
38		AD 22 - 038	Glazing Press Cap	0,044 Kg/m		
39		AD 22 - 039	CAP PROFILE	0,649 Kg/m		
40		AD 22 - 040	Glazing Press Cap	0,786 Kg/m		

Profile weights are theoretical, and the weights taken at the time of delivery are valid.













AD 50F FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)		
41		AD 22 - 041	CAP PROFILE	0,484 Kg/m		
42		AD 22 - 042	Glazing Press Cap	0,765 Kg/m		
43		AD 22 - 043	CAP PROFILE	0,309 Kg/m		
44		AD 22 - 044	Glazing Press Cap	0,390 Kg/m		
45		AD 22 - 045	CAP PROFILE	0,862 Kg/m		
46		AD 22 - 046	Glazing Press Cap	0,947 Kg/m		
47		AD 22 - 047	AD 50 F System Double Glazing Profile	0,277 Kg/m		
48		AD 22 - 048	GLAZING JOINT Apparatus	0,274 Kg/m		
49		AD 22 - 049	GLAZING JOINT Apparatus	0,350 Kg/m		
50		AD 22 - 050	GLAZING JOINT Apparatus	0,327 Kg/m		
51		AD 22 - 051	GLAZING JOINT Apparatus	0,384 Kg/m		
52		AD 22 - 052	GLAZING JOINT Apparatus	0,460 Kg/m		











AD 50F FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)		
53		AD 22 - 053	PVC Glazing Block			
54		AD 22 - 054	GLAZING JOINT Apparatus	0,290 Kg/m		
55		AD 22 - 055	Rod Profile	0,120 Kg/m		
56		AD 22 - 056	Glazing Block	0,279 Kg/m		
57		AD 22 - 057	Horizontal Mullion Connection Apparatus	0,501 Kg/m		
58		AD 22 - 058	Connection Apparatus	1,103 Kg/m		
59		AD 22 - 059	Horizontal Mullion Connection Apparatus	1,820 Kg/m		
60		AD 22 - 060	Horizontal Mullion Connection Apparatus	1,582 Kg/m		
61		AD 22 - 061	Horizontal Mullion Connection Apparatus	1,358 Kg/m		
62		AD 22 - 062	Joint Profile	3,599 Kg/m		
63		AD 22 - 063	GLAZING JOINT Apparatus	0,273 Kg/m		

AD 50F FACADE SYSTEM PROFILES







No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)		
64		AD 22 - 064	CORNER BLOCK PROFILE 62x62x13	2,402 Kg/m		
65		AD 22 - 065	CORNER BLOCK PROFILE 57x57x8,7	1,958 Kg/m		
66		AD 22 - 066	CORNER BLOCK PROFILE 60x60x6,1	1,760 Kg/m		
67		AD 22 - 067	20 mm Raising Bead	0,210 Kg/m		
68		AD 22 - 068	18 mm Raising Bead	0,196 Kg/m		
69		AD 22 - 069	10 mm Raising Bead	0,145 Kg/m		
70		AD 22 - 070	8 mm Raising Bead	0,130 Kg/m		
71		AD 22 - 071	8 mm Raising Bead	0,153 Kg/m		
72		AD 22 - 072	7 mm Raising Bead	0,143 Kg/m		
73		AD 22 - 073	Adapter	0,124 Kg/m		
74		AD 22 - 074	Adapter	0,106 Kg/m		
75		AD 22 - 075	Adapter	0,229 Kg/m		

AD 50F FACADE SYSTEM PROFILES









No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)	Static (Ix - Iy cm4)	
76		AD 22 - 076	Adapter	0,617 Kg/m		
77		AD 22 - 077	Adapter	0,810 Kg/m		
78		AD 22 - 078	10 mm Raising Bead	0,175 Kg/m		
79		AD 22 - 079	Horizontal Mullion Connection Apparatus	1,547 Kg/m		
80		AD 22 - 080	200 Vertical Grillage	4,257 Kg/m	Jx : 1014 cm4 Jy : 56,90 cm4	
81		AD 22 - 081	Concealed Sash Frame Profile	0,888 Kg/m		
82		AD 22 - 082	Concealed Sash Frame Profile	0,935 Kg/m		
83		AD 22 - 083	Concealed Sash Frame Profile	0,835 Kg/m		
84		AD 22 - 084	Concealed Sash Frame Profile	0,882 Kg/m		
85		AD 22 - 085	14 mm Raising Bead	0,171 Kg/m		

Profile weights are theoretical, and the weights taken at the time of delivery are valid.









AD 50F FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Code	Description	Profile Weight (Kg/m)		
86		AD 22 - 086	106 2mm Horizontal Grillage	2,008 Kg/m		
87		AD 22 - 087	80 Vertical Semi Grillage	1,444 Kg/m		
88		AD 22 - 088	80 Vertical Grillage	1,751 Kg/m		
89		AD 22 - 089	86 Horizontal Grillage	1,550 Kg/m		
90		AD 22 - 090	86 Horizontal Semi Grillage	1,306 Kg/m		
91		AD 22 - 091	200 Cap Profile	2,556 Kg/m		
92		AD 22 - 092	150 CAP PROFILE	1,618 Kg/m		
93						
94						
95						
96						
97						




AD 23 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		100 ROFILE	AD 23 - 001	1,718 Kg/m	
2		80 PROFILE	AD 23 - 002	1,546 Kg/m	
3		50 PROFILE	AD 23 - 003	1,282 Kg/m	
4		SASH - CASSETTE PROFILE	AD 23 - 004	0,784 Kg/m	
5		SASH - CASSETTE PROFILE	AD 23 - 005	0,808 Kg/m	
6		CONCEALED SASH FRAME PROFILE	AD 23 - 006	0,651 Kg/m	
7		16,2 CAP PROFILE	AD 23 - 007	0,298 Kg/m	
8		GLAZING PRESS CAP	AD 23 - 008	0,383 Kg/m	
9		GLAZING JOINT APPARATUS	AD 23 - 009	0,264 Kg/m	
10		CORNER BLOCK PROFILE 67x67X15,7	AD 23 - 010	3,048 Kg/m	
11		LIGHTING PROFILE	AD 23 - 011	1,145 Kg/m	
12		LIGHTING PROFILE	AD 23 - 012	0,890 Kg/m	




AD 23 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		150 SUNBLIND PROFILE 1,5 mm	AD 23 - 015	1,529 Kg/m	
14		100 SUNBLIND PROFILE 1,3 mm	AD 23 - 016	0,759 Kg/m	
15		SUNBLIND LOAD BEARER	AD 23 - 017	1,416 Kg/m	
16		150 ADJUSTED LOAD BEARER	AD 23 - 018	1,844 Kg/m	
17		100 ADJUSTED LOAD BEARER	AD 23 - 019	1,297 Kg/m	
18		200 SUNBLIND PROFILE 1,5 mm	AD 23 - 020	1,954 Kg/m	
19		200 ADJUSTED LOAD BEARER	AD 23 - 021	2,013 Kg/m	
20		170 SUNBLIND PROFILE 1,5 mm	AD 23 - 022	1,734 Kg/m	
21		170 ADJUSTED LOAD BEARER	AD 23 - 023	1,578 Kg/m	
22		100 SUNBLIND PROFILE 1,5 mm	AD 23 - 024	0,856 Kg/m	
23		100 SUNBLIND LEG PROFILE	AD 23 - 025	1,827 Kg/m	
24		100 SUNBLIND PROFILE 1,3 mm	AD 23 - 026	0,572 Kg/m	












AD 23 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		TOP RAIL PROFILE 213,6x35,1x2,8 MM	AD 23 - 027	4,485 Kg/m	
26		BOTTOM RAIL PROFILE 206,4x44,9x3 MM	AD 23 - 028	3,740 Kg/m	
27		SASH PROFILE 60x58,5x3,8 MM	AD 23 - 029	2,005 Kg/m	
28		CAP PROFILE	AD 23 - 030	0,435 Kg/m	
29					
30					
31					
32					
33					
34					
35					
36					













AD 24 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		100 STRUCTURAL BOTTOM BASE	AD 24 - 006	2,477 Kg/m	
2		ANGLED BEAD	AD 24 - 008	0,209 Kg/m	
3		ANGLED BEAD (LUGGED)	AD 24 - 009	0,264 Kg/m	
4					
5					
6					
7					
8					
9					
10					
11					
12					












AD 55 S NON-INSULATED SLIDING SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME PROFILE	AD 26 - 001	1,102 Kg/m	
2		DOUBLE-RAIL FRAME PROFILE WITH SILL	AD 26 - 002	1,350 Kg/m	
3		3 FRAME PROFILE	AD 26 - 003	1,763 Kg/m	
4		FRAME PROFILE	AD 26 - 004	0,565 Kg/m	
5		STRUCTURAL SASH PROFILE	AD 26 - 005	1,053 Kg/m	
6		PVC SASH PROFILE WITH ESP. CANAL	AD 26 - 006	1,090 Kg/m	
7		SASH PROFILE	AD 26 - 007	0,822 Kg/m	
8		MEDIUM SASH PROFILE	AD 26 - 008	0,648 Kg/m	
9		STRUCTURAL MEDIUM SASH PROFILE	AD 26 - 009	0,934 Kg/m	
10		STRUCTURAL MEDIUM SASH PROFILE	AD 26 - 010	1,085 Kg/m	
11		BOTTOM PROFILE	AD 26 - 011	0,735 Kg/m	
12		BOTTOM PROFILE	AD 26 - 012	0,864 Kg/m	



AD 55 S NON-INSULATED SLIDING SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		DECORATIVE BOTTOM PROFILE	AD 26 - 013	1,160 Kg/m	
14		OFFSET TYPE PROFILE	AD 26 - 014	0,195 Kg/m	
15		OFFSET TYPE PROFILE	AD 26 - 015	0,267 Kg/m	
16		RAIL PROFILE	AD 26 - 016	0,125 Kg/m	
17		QUADRUPLE SASH ADAPTER	AD 26 - 017	0,413 Kg/m	
18		SINGLE GLAZING BEAD PROFILE	AD 26 - 018	0,270 Kg/m	
19		FRAME PROFILE WITH SILL	AD 26 - 019	1,512 Kg/m	
20		ADAPTER PROFILE	AD 26 - 020	0,429 Kg/m	
21		FRAME PROFILE WITH SILL Note: To be molded when an Order is Received.	AD 26 - 021	1,404 Kg/m	
22		LARGE SASH PROFILE Note: To be molded when an Order is Received.	AD 26 - 022	0,875 Kg/m	
23		LARGE SASH ESPAGNOLETTE ADAPTER PROFILE Note: To be molded when an Order is Received.	AD 26 - 023	0,276 Kg/m	
24		GLAZED SASH PROFILE	AD 26 - 024	0,618 Kg/m	








AD 55 S NON-INSULATED SLIDING SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		SMALL SASH PROFILE Note: To be molded when an Order is Received.	AD 26 - 025 Kalibi	0,854 Kg/m	
26		SMALL CLAMP PROFILE Note: To be molded when an Order is Received.	AD 26 - 026 Kalibi	0,401 Kg/m	
27		SMALL SASH ESPAGNOLETTE ADAPTER PROFILE	AD 26 - 027	0,203 Kg/m	
28		FRAME PROFILE Note: To be molded when an Order is Received.	AD 26 - 028	1,339 Kg/m	
29		MEDIUM SASH PROFILE Note: To be molded when an Order is Received.	AD 26 - 029	0,661 Kg/m	
30		STRUCTURAL MEDIUM SASH PROFILE Note: To be molded when an Order is Received.	AD 26 - 030	1,125 Kg/m	
31		DECORATIVE BOTTOM PROFILE Note: To be molded when an Order is Received.	AD 26 - 031	1,103 Kg/m	
32		SASH PROFILE Note: To be molded when an Order is Received.	AD 26 - 032	0,995 Kg/m	
33		DOUBLE GLAZING BEAD PROFILE Note: To be molded when an Order is Received.	AD 26 - 033	0,141 Kg/m	
34		FRAME PROFILE WITH SILL AND FLY SCREEN	AD 26 - 034	1,724 Kg/m	
35		SASH PROFILE	AD 26 - 035	1,201 Kg/m	
36		CLAMP PROFILE	AD 26 - 036	0,453 Kg/m	









AD 55 S NON-INSULATED SLIDING SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
37		DOUBLE GLAZING BEAD PROFILE	AD 26 - 037	0,152 Kg/m	
38		CORNER BLOCK PROFILE 61x61x10,8	AD 26 - 038	2,252 Kg/m	
39		FLY SCREEN FRAME PROFILE	AD 26 - 039	1,675 Kg/m	
40		DOUBLE GLAZING BEAD PROFILE	AD 26 - 040	0,149 Kg/m	
41					
42					
43					
44					
45					
46					
47					
48					



AD 27 OFFICE PARTITION

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		DOOR FRAME PROFILE	AD 27 - 001	0,799 Kg/m	
2		LOAD BEARING PROFILE	AD 27 - 002	0,723 Kg/m	
3		CAP PROFILE	AD 27 - 003	0,481 Kg/m	
4		LOAD BEARING PROFILE	AD 27 - 004	0,187 Kg/m	
5		CAP PROFILE	AD 27 - 005	0,896 Kg/m	
6		CAP PROFILE	AD 27 - 006	0,206 Kg/m	
7		CAP PROFILE	AD 27 - 007	0,181 Kg/m	
8		CAP PROFILE	AD 27 - 008	0,234 Kg/m	
9		CAP PROFILE	AD 27 - 009	0,311 Kg/m	
10		CAP PROFILE	AD 27 - 010	0,342 Kg/m	
11		MULTANGULAR CORNER ADAPTER	AD 27 - 011	1,066 Kg/m	
12		8 80X1,5 PIPE PROFILE	AD 27 - 012	1,003 Kg/m	

AD 27 OFFICE PARTITION

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		DOOR FRAME PROFILE	AD 27 - 013	0,887 Kg/m	
14		CAP PROFILE	AD 27 - 014	0,272 Kg/m	
15		NARROW SASH PROFILE	AD 27 - 015	0,798 Kg/m	
16		LARGE SASH PROFILE	AD 27 - 016	1,109 Kg/m	
17		SINGLE GLAZING ADAPTER PROFILE	AD 27 - 017	0,376 Kg/m	
18		FRAME PROFILE	AD 27 - 018	0,531 Kg/m	
19		FRAME PROFILE	AD 27 - 019	0,794 Kg/m	
20		LUGGED FRAME PROFILE	AD 27 - 020	0,970 Kg/m	
21		DOOR SASH PROFILE	AD 27 - 021	0,634 Kg/m	
22					
23					
24					







AD 28 PLATE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		60x8 PLATE PROFILE	AD 28 - 001	1,301 Kg/m	
2		150x8 PLATE PROFILE	AD 28 - 002	3,252 Kg/m	
3		20x2 PLATE PROFILE	AD 28 - 003	0,108 Kg/m	
4		104x4 PLATE PROFILE	AD 28 - 004	1,127 Kg/m	
5		64x4 PLATE PROFILE	AD 28 - 005	0,694 Kg/m	
6		19,5x4,4 PLATE PROFILE	AD 28 - 006	0,233 Kg/m	
7		20x80 PLATE PROFILE	AD 28 - 007	4,336 Kg/m	
8		20x90 PLATE PROFILE	AD 28 - 008	4,878 Kg/m	
9		6x110 PLATE PROFILE	AD 28 - 009	1,767 Kg/m	
10		40x2 PLATE PROFILE	AD 28 - 010	0,217 Kg/m	
11		60x3 PLATE PROFILE	AD 28 - 011	0,488 Kg/m	
12		50x3 PLATE PROFILE	AD 28 - 012	0,407 Kg/m	













AD 28 PLATE PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		35x13 PLATE PROFILE	AD 28 - 013	1,233 Kg/m	
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					













AD 70 SF STEEL STRUCTURAL FACADE SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		HORIZONTAL PROFILE	AD 29 - 001	1,702 Kg/m	
2		VERTICAL PROFILE	AD 29 - 002	1,499 Kg/m	
3		42 CAP PROFILE	AD 29 - 003	0,973 Kg/m	
4		82 CAP PROFILE	AD 29 - 004	1,407 Kg/m	
5		143 CAP PROFILE	AD 29 - 005	2,390 Kg/m	
6		163 CAP PROFILE	AD 29 - 006	2,607 Kg/m	
7		16 PRESS CAP PROFILE	AD 29 - 007	0,385 Kg/m	
8		20 PRESS CAP PROFILE	AD 29 - 008	0,412 Kg/m	
9		PRESS PROFILE	AD 29 - 009	0,542 Kg/m	
10					
11					
12					

AD 55 ST INSULATED SLIDING SYSTEM PROFILES













No:	Profile Shape	Profile Code	Profile Name	Profile Weight (Kg/m)	Inner and Outer Profile Codes		Thermal Barrier(Kg/m)
					Outer	Inner	
1		AD 30 - 001	FRAME PROFILE	1,275 Kg/m	AD30-501 0,564 Kg/m	AD30-502 0,602 Kg/m	AD25-008 AD25-008 0,109 Kg/m
2		AD 30 - 002	DOUBLE-RAIL FRAME PROFILE WITH SILL	1,532 Kg/m	AD30-503 0,556 Kg/m	AD30-504 0,867 Kg/m	AD25-008 AD25-008 0,109 Kg/m
3		AD 30 - 003	TRIPLE-RAIL FRAME PROFILE	1,963 Kg/m	AD30-501 0,564 Kg/m	AD30-505 1,290 Kg/m	AD25-008 AD25-008 0,109 Kg/m
4		AD 30 - 004	STRUCTURAL SASH PROFILE	1,353 Kg/m	AD30-507 0,507 Kg/m	AD30-506 0,737 Kg/m	AD25-008 AD25-008 0,109 Kg/m
5		AD 30 - 005	PVC SASH PROFILE WITH ESP. CANAL	1,364 Kg/m	AD30-508 0,626 Kg/m	AD30-508 0,626 Kg/m	AD25-004 AD25-004 0,112 Kg/m
6		AD 30 - 006	SASH PROFILE	1,123 Kg/m	AD30-507 0,507 Kg/m	AD30-507 0,507 Kg/m	AD25-008 AD25-008 0,109 Kg/m
7		AD 30 - 007	CLAMP PROFILE	0,583 Kg/m			
8		AD 30 - 008	STRUCTURAL CLAMP PROFILE	0,867 Kg/m			
9		AD 30 - 009	STRUCTURAL CLAMP PROFILE	1,019 Kg/m			
10		AD 30 - 010	BOTTOM PROFILE	1,206 Kg/m	AD30-509 0,547 Kg/m	AD30-509 0,547 Kg/m	AD25-004 AD25-004 0,112 Kg/m
11		AD 30 - 011	BOTTOM PROFILE	1,196 Kg/m	AD30-510 0,542 Kg/m	AD30-510 0,542 Kg/m	AD25-004 AD25-004 0,112 Kg/m
12		AD 30 - 012	DECORATIVE BOTTOM PROFILE	1,592 Kg/m	AD30-511 0,740 Kg/m	AD30-511 0,740 Kg/m	AD25-004 AD25-004 0,112 Kg/m

AD 61 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
1		FRAME PROFILE	AD31-001	AD 21 - 501 0,461 Kg/m	AD 21 - 502 0,548 Kg/m	1,193 Kg/m	AD25-009 AD25-010 0,184 Kg/m
2		FRAME PROFILE	AD31-002	AD 21 - 503 0,542 Kg/m	AD 21 - 504 0,630 Kg/m	1,356 Kg/m	AD25-009 AD25-010 0,184 Kg/m
3		FRAME PROFILE	AD31-003	AD 21 - 505 0,623 Kg/m	AD 21 - 506 0,711 Kg/m	1,518 Kg/m	AD25-009 AD25-010 0,184 Kg/m
4		FRAME PROFILE	AD31-004	AD 21 - 507 0,727 Kg/m	AD 21 - 508 0,817 Kg/m	1,728 Kg/m	AD25-009 AD25-010 0,184 Kg/m
5		FRAME PROFILE WITH SILL	AD31-005	AD 21 - 501 0,461 Kg/m	AD 21 - 509 0,648 Kg/m	1,293 Kg/m	AD25-009 AD25-010 0,184 Kg/m
6		FRAME PROFILE WITH SILL	AD31-006	AD 21 - 503 0,556 Kg/m	AD 21 - 510 0,833 Kg/m	1,573 Kg/m	AD25-009 AD25-010 0,184 Kg/m
7		SASH PROFILE	AD31-007	AD 21 - 511 0,456 Kg/m	AD 21 - 512 0,671 Kg/m	1,309 Kg/m	AD25-010 AD25-011 0,182 Kg/m
8		SASH PROFILE	AD31-008	AD 21 - 513 0,537 Kg/m	AD 21 - 514 0,752 Kg/m	1,471 Kg/m	AD25-010 AD25-011 0,182 Kg/m
9		PVC PVC ACCESSORY COMPATIBLE SASH PROFILE	AD31-009	AD 21 - 513 0,537 Kg/m	AD 21 - 515 0,772 Kg/m	1,491 Kg/m	AD25-010 AD25-011 0,182 Kg/m
10		SASH PROFILE	AD31-010	AD 21 - 516 0,637 Kg/m	AD 21 - 517 0,863 Kg/m	1,682 Kg/m	AD25-010 AD25-011 0,182 Kg/m
11		SASH PROFILE	AD31-011	AD 21 - 518 0,721 Kg/m	AD 21 - 519 0,947 Kg/m	1,850 Kg/m	AD25-010 AD25-011 0,182 Kg/m
12		SASH PROFILE	AD31-012	AD 21 - 520 0,847 Kg/m	AD 21 - 521 1,072 Kg/m	2,101 Kg/m	AD25-010 AD25-011 0,182 Kg/m













Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 61 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
13		SASH PROFILE	AD31-013	AD 21 - 522 0,386 Kg/m	AD 21 - 523 0,683 Kg/m	1,251 Kg/m	AD25-010 AD25-011 0,182 Kg/m
14		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GA	AD31-014	AD 21 - 525 1,296 Kg/m	AD 21 - 524 0,808 Kg/m	2,267 Kg/m	AD25-011 AD25-002 0,163 Kg/m
15		MULLION PROFILE	AD31-015	AD 21 - 526 0,552 Kg/m	AD 21 - 527 0,583 Kg/m	1,345 Kg/m	AD25-009 AD25-009 0,210 Kg/m
16		MULLION PROFILE	AD31-016	AD 21 - 528 0,633 Kg/m	AD 21 - 529 0,664 Kg/m	1,537 Kg/m	AD25-009 AD25-009 0,210 Kg/m
17		MULLION PROFILE	AD31-017	AD 21 - 530 0,715 Kg/m	AD 21 - 531 0,746 Kg/m	1,671 Kg/m	AD25-009 AD25-009 0,210 Kg/m
18		MULLION PROFILE	AD31-018	AD 21 - 532 0,824 Kg/m	AD 21 - 533 0,851 Kg/m	1,885 Kg/m	AD25-009 AD25-009 0,210 Kg/m
19		MULLION PROFILE	AD31-019	AD 21 - 535 1,106 Kg/m	AD 21 - 534 1,125 Kg/m	2,441 Kg/m	AD25-009 AD25-009 0,210 Kg/m
20		BOTTOM PROFILE	AD31-020	AD 21 - 537 1,144 Kg/m	AD 21 - 536 1,234 Kg/m	2,562 Kg/m	AD25-009 AD25-010 0,184 Kg/m
21		STRUCTURAL MULLION PROFILE	AD31-021	AD 21 - 542 1,296 Kg/m	AD 21 - 529 0,667 Kg/m	2,173 Kg/m	AD25-009 AD25-009 0,210 Kg/m
22		STRUCTURAL MULLION PROFILE	AD31-022	AD 21 - 543 1,462 Kg/m	AD 21 - 529 0,667 Kg/m	2,339 Kg/m	AD25-009 AD25-009 0,210 Kg/m
23		1,5 mm PVC ACCESSORY COMPATIBLE SASH PROFILE	AD31-023	AD 21 - 520 0,847 Kg/m	AD 21 - 605 1,087 Kg/m	2,116 Kg/m	AD25-010 AD25-011 0,182 Kg/m
24		CORNER PROFILE	AD31-024 Note: To be molded when an Order is Received			1,076 Kg/m	AD25-005 AD25-005 0,140 Kg/m

Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 61 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
25		SASH MEDIUM ADAPTER PROFILE WITH ACOUSTIC GASKET	AD31-025	AD 21 - 544 0,539 Kg/m	AD 21 - 545 0,546 Kg/m	1,269 Kg/m	AD25-009 AD25-010 0,184 Kg/m
26		OUTWARD OPENING SASH FRAME ADAPTER PROFILE WITH ACOUSTIC GASKET	AD31-026	AD 21 - 547 0,523 Kg/m	AD 21 - 546 0,469 Kg/m	1,176 Kg/m	AD25-009 AD25-010 0,184 Kg/m
27		PIVOT WINDOW ADAPTER	AD31-027	AD 21 - 549 0,378 Kg/m	AD 21 - 548 0,791 Kg/m	1,351 Kg/m	AD25-010 AD25-011 0,182 Kg/m
28		WALL THICKNESS 2 mm FRAME PROFILE	AD31-030	AD 21 - 562 0,762 Kg/m	AD 21 - 563 0,867 Kg/m	1,813 Kg/m	AD25-009 AD25-010 0,184 Kg/m
29		WALL THICKNESS 2 mm SASH PROFILE	AD31-031	AD 21 - 564 0,648 Kg/m	AD 21 - 565 0,916 Kg/m	1,746 Kg/m	AD25-010 AD25-011 0,182 Kg/m
30		WALL THICKNESS 2 mm SASH PROFILE	AD31-032	AD 21 - 566 1,016 Kg/m	AD 21 - 567 1,287 Kg/m	2,485 Kg/m	AD25-010 AD25-011 0,182 Kg/m
31		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET WALL THICKNESS	AD31-033	AD 21 - 569 1,575 Kg/m	AD 21 - 568 0,970 Kg/m	2,708 Kg/m	AD25-011 AD25-002 0,163 Kg/m
32		WALL THICKNESS 2 mm MULLION PROFILE	AD31-034	AD 21 - 570 0,875 Kg/m	AD 21 - 571 0,900 Kg/m	1,985 Kg/m	AD25-009 AD25-009 0,210 Kg/m
33		WALL THICKNESS 2 mm FRAME PROFILE	AD31-035	AD 21 - 572 0,547 Kg/m	AD 21 - 573 0,656 Kg/m	1,387 Kg/m	AD25-009 AD25-010 0,184 Kg/m
34		WALL THICKNESS 2 mm FRAME PROFILE	AD31-036	AD 21 - 574 0,656 Kg/m	AD 21 - 575 0,762 Kg/m	1,602 Kg/m	AD25-009 AD25-010 0,184 Kg/m
35		WALL THICKNESS 2 mm FRAME PROFILE	AD31-037	AD 21 - 576 0,867 Kg/m	AD 21 - 577 0,973 Kg/m	2,024 Kg/m	AD25-009 AD25-010 0,184 Kg/m
36		WALL THICKNESS 2 mm FRAME PROFILE WITH SILL	AD31-038	AD 21 - 572 0,547 Kg/m	AD 21 - 578 0,786 Kg/m	1,517 Kg/m	AD25-009 AD25-010 0,184 Kg/m


Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 61 T INSULATED SYSTEM PROFILES













No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
37		WALL THICKNESS 2 mm FRAME PROFILE WITH SILL	AD31-039	AD 21 - 574 0,656 Kg/m	AD 21 - 579 1,005 Kg/m	1,845 Kg/m	AD25-009 AD25-010 0,184 Kg/m
38		WALL THICKNESS 2 mm SASH PROFILE	AD31-040	AD 21 - 580 0,542 Kg/m	AD 21 - 581 0,813 Kg/m	1,537 Kg/m	AD25-010 AD25-011 0,182 Kg/m
39		WALL THICKNESS 2 mm PVC ACCES. COMPATIBLE SASH PROFILE	AD31-041	AD 21 - 564 0,648 Kg/m	AD 21 - 582 0,927 Kg/m	1,757 Kg/m	AD25-010 AD25-011 0,182 Kg/m
40		WALL THICKNESS 2 mm SASH PROFILE	AD31-042	AD 21 - 583 0,753 Kg/m	AD 21 - 584 1,022 Kg/m	1,957 Kg/m	AD25-010 AD25-011 0,182 Kg/m
41		WALL THICKNESS 2 mm SASH PROFILE	AD31-043	AD 21 - 585 0,859 Kg/m	AD 21 - 586 1,127 Kg/m	2,168 Kg/m	AD25-010 AD25-011 0,182 Kg/m
42		WALL THICKNESS 2 mm SASH PROFILE	AD31-044	AD 21 - 587 0,453 Kg/m	AD 21 - 588 0,824 Kg/m	1,459 Kg/m	AD25-010 AD25-011 0,182 Kg/m
43		WALL THICKNESS 2 mm SASH PROFILE	AD31-045	AD 21 - 589 0,664 Kg/m	AD 21 - 590 0,688 Kg/m	1,562 Kg/m	AD25-009 AD25-009 0,210 Kg/m
44		WALL THICKNESS 2 mm MULLION PROFILE	AD31-046	AD 21 - 591 0,770 Kg/m	AD 21 - 592 0,794 Kg/m	1,774 Kg/m	AD25-009 AD25-009 0,210 Kg/m
45		WALL THICKNESS 2 mm FRAME PROFILE	AD31-047	AD 21 - 593 0,981 Kg/m	AD 21 - 594 1,005 Kg/m	2,196 Kg/m	AD25-009 AD25-009 0,210 Kg/m
46		WALL THICKNESS 2 mm FRAME PROFILE	AD31-048	AD 21 - 596 1,298 Kg/m	AD 21 - 595 1,323 Kg/m	2,831 Kg/m	AD25-009 AD25-009 0,210 Kg/m
47		WALL THICKNESS 2 mm FRAME PROFILE	AD31-049	AD 21 - 598 1,331 Kg/m	AD 21 - 597 1,439 Kg/m	2,954 Kg/m	AD25-009 AD25-010 0,184 Kg/m
48		WALL THICKNESS 2 mm STRUCTURAL MULLION PROFILE	AD31-050	AD 21 - 603 1,613 Kg/m	AD 21 - 592 0,794 Kg/m	2,617 Kg/m	AD25-009 AD25-009 0,210 Kg/m

Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 61 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
49		WALL THICKNESS 2 mm STRUCTURAL MULLION PROFILE	AD31-051	AD 21 - 604 1,832 Kg/m	AD 21 - 592 0,794 Kg/m	2,836 Kg/m	AD25-009 AD25-009 0,210 Kg/m
50							
51							
52							
53							
54							
55							
56							
57							
58							
59							
60							













AD 69 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
1		FRAME PROFILE	AD32-001	AD 21 - 501 0,461 Kg/m	AD 21 - 502 0,548 Kg/m	1,234 Kg/m	AD25-012 AD25-013 0,225 Kg/m
2		FRAME PROFILE	AD32-002	AD 21 - 503 0,542 Kg/m	AD 21 - 504 0,630 Kg/m	1,397 Kg/m	AD25-012 AD25-013 0,225 Kg/m
3		FRAME PROFILE	AD32-003	AD 21 - 505 0,623 Kg/m	AD 21 - 506 0,711 Kg/m	1,559 Kg/m	AD25-012 AD25-013 0,225 Kg/m
4		FRAME PROFILE	AD32-004	AD 21 - 507 0,727 Kg/m	AD 21 - 508 0,817 Kg/m	1,769 Kg/m	AD25-012 AD25-013 0,225 Kg/m
5		FRAME PROFILE WITH SILL	AD32-005	AD 21 - 501 0,461 Kg/m	AD 21 - 509 0,648 Kg/m	1,334 Kg/m	AD25-012 AD25-013 0,225 Kg/m
6		FRAME PROFILE WITH SILL	AD32-006	AD 21 - 503 0,556 Kg/m	AD 21 - 510 0,833 Kg/m	1,614 Kg/m	AD25-012 AD25-013 0,225 Kg/m
7		SASH PROFILE	AD32-007	AD 21 - 511 0,456 Kg/m	AD 21 - 512 0,671 Kg/m	1,347 Kg/m	AD25-013 AD25-014 0,220 Kg/m
8		SASH PROFILE	AD32-008	AD 21 - 513 0,537 Kg/m	AD 21 - 514 0,752 Kg/m	1,509 Kg/m	AD25-013 AD25-014 0,220 Kg/m
9		PVC ACCESSORY COMPATIBLE SASH PROFILE	AD32-009	AD 21 - 513 0,537 Kg/m	AD 21 - 515 0,772 Kg/m	1,529 Kg/m	AD25-013 AD25-014 0,220 Kg/m
10		SASH PROFILE	AD32-010	AD 21 - 516 0,637 Kg/m	AD 21 - 517 0,863 Kg/m	1,720 Kg/m	AD25-013 AD25-014 0,220 Kg/m
11		SASH PROFILE	AD32-011	AD 21 - 518 0,721 Kg/m	AD 21 - 519 0,947 Kg/m	1,888 Kg/m	AD25-013 AD25-014 0,220 Kg/m
12		SASH PROFILE	AD32-012	AD 21 - 520 0,847 Kg/m	AD 21 - 521 1,072 Kg/m	2,139 Kg/m	AD25-013 AD25-014 0,220 Kg/m

Profile weights are theoretical, and the weights taken at the time of delivery are valid.













AD32-001

AD 69 T INSULATED SYSTEM PROFILES













No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
13		SASH PROFILE	AD32-013	AD 21 - 522 0,386 Kg/m	AD 21 - 523 0,683 Kg/m	1,289 Kg/m	AD25-013 AD25-014 0,220 Kg/m
14		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET	AD32-014	AD 21 - 525 1,296 Kg/m	AD 21 - 524 0,808 Kg/m	2,308 Kg/m	AD25-014 AD25-016 0,204 Kg/m
15		MULLION PROFILE	AD32-015	AD 21 - 526 0,552 Kg/m	AD 21 - 527 0,583 Kg/m	1,389 Kg/m	AD25-012 AD25-012 0,254 Kg/m
16		MULLION PROFILE	AD32-016	AD 21 - 528 0,633 Kg/m	AD 21 - 529 0,664 Kg/m	1,551 Kg/m	AD25-012 AD25-012 0,254 Kg/m
17		MULLION PROFILE	AD32-017	AD 21 - 530 0,715 Kg/m	AD 21 - 531 0,746 Kg/m	1,715 Kg/m	AD25-012 AD25-012 0,254 Kg/m
18		MULLION PROFILE	AD32-018	AD 21 - 532 0,824 Kg/m	AD 21 - 533 0,851 Kg/m	1,929 Kg/m	AD25-012 AD25-012 0,254 Kg/m
19		MULLION PROFILE	AD32-019	AD 21 - 535 1,106 Kg/m	AD 21 - 534 1,125 Kg/m	2,485 Kg/m	AD25-012 AD25-012 0,254 Kg/m
20		BOTTOM PROFILE	AD32-020	AD 21 - 537 1,144 Kg/m	AD 21 - 536 1,234 Kg/m	2,603 Kg/m	AD25-012 AD25-013 0,225 Kg/m
21		STRUCTURAL MULLION PROFILE	AD32-021	AD 21 - 542 1,296 Kg/m	AD 21 - 529 0,667 Kg/m	2,217 Kg/m	AD25-012 AD25-012 0,254 Kg/m
22		STRUCTURAL MULLION PROFILE	AD32-022	AD 21 - 543 1,462 Kg/m	AD 21 - 529 0,667 Kg/m	2,383 Kg/m	AD25-012 AD25-012 0,254 Kg/m
23		1,5 mm PVC ACCESSORY COMPATIBLE SASH PROFILE	AD32-023	AD 21 - 520 0,847 Kg/m	AD 21 - 605 1,087 Kg/m	2,154 Kg/m	AD25-013 AD25-014 0,220 Kg/m
24		CORNER PROFILE	AD32-024 Not: Sipariş Alındığı Zaman KalıboYapılacak.			1,331 Kg/m	AD25-017 AD25-017 0,176 Kg/m

Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 69 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
25		SASH MEDIUM ADAPTER PROFILE WITH ACOUSTIC GASKET	AD32-025	AD 21 - 544 0,539 Kg/m	AD 21 - 545 0,546 Kg/m	1,310 Kg/m	AD25-012 AD25-013 0,225 Kg/m
26		OUTWARD OPENING SASH FRAME ADAPTER PROFILE WITH ACOUSTIC GASKET	AD32-026	AD 21 - 547 0,523 Kg/m	AD 21 - 546 0,469 Kg/m	1,217 Kg/m	AD25-012 AD25-013 0,225 Kg/m
27		PIVOT WINDOW ADAPTER	AD32-027	AD 21 - 549 0,378 Kg/m	AD 21 - 548 0,791 Kg/m	1,389 Kg/m	AD25-013 AD25-014 0,220 Kg/m
28		WALL THICKNESS 2 mm FRAME PROFILE	AD32-030	AD 21 - 562 0,762 Kg/m	AD 21 - 563 0,867 Kg/m	1,854 Kg/m	AD25-012 AD25-013 0,225 Kg/m
29		WALL THICKNESS 2 mm SASH PROFILE	AD32-031	AD 21 - 564 0,648 Kg/m	AD 21 - 565 0,916 Kg/m	1,784 Kg/m	AD25-013 AD25-014 0,220 Kg/m
30		WALL THICKNESS 2 mm SASH PROFILE	AD32-032	AD 21 - 566 1,016 Kg/m	AD 21 - 567 1,287 Kg/m	2,523 Kg/m	AD25-013 AD25-014 0,220 Kg/m
31		OUTWARD OPENING SASH PROFILE WITH ACOUSTIC GASKET WALL THICKNESS 2 MM	AD32-033	AD 21 - 569 1,575 Kg/m	AD 21 - 568 0,970 Kg/m	2,749 Kg/m	AD25-014 AD25-016 0,204 Kg/m
32		WALL THICKNESS 2 mm MULLION PROFILE	AD32-034	AD 21 - 570 0,875 Kg/m	AD 21 - 571 0,900 Kg/m	2,029 Kg/m	AD25-012 AD25-012 0,254 Kg/m
33		WALL THICKNESS 2 mm FRAME PROFILE	AD32-035	AD 21 - 572 0,547 Kg/m	AD 21 - 573 0,656 Kg/m	1,428 Kg/m	AD25-012 AD25-013 0,225 Kg/m
34		WALL THICKNESS 2 mm FRAME PROFILE	AD32-036	AD 21 - 574 0,656 Kg/m	AD 21 - 575 0,762 Kg/m	1,643 Kg/m	AD25-012 AD25-013 0,225 Kg/m
35		WALL THICKNESS 2 mm FRAME PROFILE	AD32-037	AD 21 - 576 0,867 Kg/m	AD 21 - 577 0,973 Kg/m	2,065 Kg/m	AD25-012 AD25-013 0,225 Kg/m
36		WALL THICKNESS 2 mm FRAME PROFILE WITH SILL	AD32-038	AD 21 - 572 0,547 Kg/m	AD 21 - 578 0,786 Kg/m	1,558 Kg/m	AD25-012 AD25-013 0,225 Kg/m









AD 69 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
37		WALL THICKNESS 2 mm FRAME PROFILE WITH SILL	AD32-039	AD 21 - 574 0,656 Kg/m	AD 21 - 579 1,005 Kg/m	1,886 Kg/m	AD25-012 AD25-013 0,225 Kg/m
38		WALL THICKNESS 2 mm SASH PROFILE	AD32-040	AD 21 - 580 0,542 Kg/m	AD 21 - 581 0,813 Kg/m	1,575 Kg/m	AD25-013 AD25-014 0,220 Kg/m
39		WALL THICKNESS 2 mm PVC ACCESS. COMPATIBLE SASH PROFILE	AD32-041	AD 21 - 564 0,648 Kg/m	AD 21 - 582 0,927 Kg/m	1,795 Kg/m	AD25-013 AD25-014 0,220 Kg/m
40		WALL THICKNESS 2 mm SASH PROFILE	AD32-042	AD 21 - 583 0,753 Kg/m	AD 21 - 584 1,022 Kg/m	1,995 Kg/m	AD25-013 AD25-014 0,220 Kg/m
41		WALL THICKNESS 2 mm SASH PROFILE	AD32-043	AD 21 - 585 0,859 Kg/m	AD 21 - 586 1,127 Kg/m	2,206 Kg/m	AD25-013 AD25-014 0,220 Kg/m
42		WALL THICKNESS 2 mm SASH PROFILE	AD32-044	AD 21 - 587 0,453 Kg/m	AD 21 - 588 0,824 Kg/m	1,497 Kg/m	AD25-013 AD25-014 0,220 Kg/m
43		WALL THICKNESS 2 mm MULLION PROFILE	AD32-045	AD 21 - 589 0,664 Kg/m	AD 21 - 590 0,688 Kg/m	1,606 Kg/m	AD25-012 AD25-012 0,254 Kg/m
44		WALL THICKNESS 2 mm MULLION PROFILE	AD32-046	AD 21 - 591 0,770 Kg/m	AD 21 - 592 0,794 Kg/m	1,818 Kg/m	AD25-012 AD25-012 0,254 Kg/m
45		WALL THICKNESS 2 mm MULLION PROFILE	AD32-047	AD 21 - 593 0,981 Kg/m	AD 21 - 594 1,005 Kg/m	2,240 Kg/m	AD25-012 AD25-012 0,254 Kg/m
46		WALL THICKNESS 2 mm MULLION PROFILE	AD32-048	AD 21 - 596 1,298 Kg/m	AD 21 - 595 1,323 Kg/m	2,875 Kg/m	AD25-012 AD25-012 0,254 Kg/m
47		WALL THICKNESS 2 mm BOTTOM PROFILE	AD32-049	AD 21 - 598 1,331 Kg/m	AD 21 - 597 1,439 Kg/m	2,995 Kg/m	AD25-012 AD25-013 0,225 Kg/m
48		WALL THICKNESS 2 mm STRUCTURAL MULLION PROFILE	AD32-050	AD 21 - 603 1,613 Kg/m	AD 21 - 592 0,794 Kg/m	2,661 Kg/m	AD25-012 AD25-012 0,254 Kg/m






Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD32-004








AD 69 T INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Inner and Outer Profile Codes		Profile Weight (Kg/m)	Thermal Barrier(Kg/m)
				Outer	Inner		
49		WALL THICKNESS 2 mm STRUCTURAL MULLION PROFILE	AD32-051	AD 21 - 604 1,832 Kg/m	AD 21 - 592 0,794 Kg/m	2,880 Kg/m	AD25-012 AD25-012 0,254 Kg/m
50		FLUSH OUTWARD OPENING SASH PROFILE	AD32-052	AD 21 - 539 0,807 Kg/m	AD 21 - 538 0,833 Kg/m	1,796 Kg/m	AD25-015 AD25-015 0,156 Kg/m
51		FLUSH INWARD OPENING SASH PROFILE	AD32-053	AD 21 - 541 0,700 Kg/m	AD 21 - 540 0,903 Kg/m	1,759 Kg/m	AD25-015 AD25-015 0,156 Kg/m
52		FLUSH OUTWARD OPENING SASH PROFILE WALL THICKNESS 2 MM	AD32-054	AD 21 - 600 0,940 Kg/m	AD 21 - 599 0,970 Kg/m	1,966 Kg/m	AD25-015 AD25-015 0,156 Kg/m
53		FLUSH INWARD OPENING SASH PROFILE WALL THICKNESS 2 MM	AD32-055	AD 21 - 602 0,810 Kg/m	AD 21 - 601 1,060 Kg/m	2,026 Kg/m	AD25-015 AD25-015 0,156 Kg/m
54		FLUSH DOOR FRAME ADAPTER PROFILE	AD32-056	AD 21 - 551 0,251 Kg/m	AD 21 - 550 0,632 Kg/m	1,039 Kg/m	AD25-015 AD25-015 0,156 Kg/m
55		FLUSH INWARD OPENING SASH MEDIUM ADAPTER PROFILE	AD32-057	AD 21 - 552 0,398 Kg/m	AD 21 - 553 0,451 Kg/m	1,005 Kg/m	AD25-015 AD25-015 0,156 Kg/m
56		FLUSH OUTWARD OPENING SASH MEDIUM ADAPTER PROFILE	AD32-058	AD 21 - 555 0,218 Kg/m	AD 21 - 554 0,602 Kg/m	0,976 Kg/m	AD25-015 AD25-015 0,156 Kg/m
57							
58							
59							
60							










AD 45 NON-INSULATED SYSTEM PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME PROFILE Note: To be molded when an Order is Received.	AD 33 - 001	1,100 Kg/m	
2		MULLION PROFILE Note: To be molded when an Order is Received.	AD 33 - 002	1,282 Kg/m	
3		SASH PROFILE Note: To be molded when an Order is Received.	AD 33 - 003	1,146 Kg/m	
4		SASH PROFILE Note: To be molded when an Order is Received.	AD 33 - 004	1,488 Kg/m	
5		BOTTOM PROFILE Note: To be molded when an Order is Received.	AD 33 - 005	1,653 Kg/m	
6					
7					
8					
9					
10					
11					
12					







AD 34 SIDING PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		50x50x1,5 BOX PROFILE	AD34-017	0,789 Kg/m	
2		49,8 mm RAGGED T PROFILE	AD34-020	0,355 Kg/m	
3		CORNER PROFILE	AD34-021	0,317 Kg/m	
4		CORNER PROFILE	AD34-022	0,282 Kg/m	
5		HORIZONTAL JOINT PROFILE	AD34-023	0,114 Kg/m	
6		VERTICAL JOINT PROFILE	AD34-024	0,098 Kg/m	
7		STAPLE PROFILE	AD34-025	1,203 Kg/m	
8		FASTENER PROFILE	AD34-026	0,220 Kg/m	
9					
10					
11					
12					










AD 42 SHOWER CABIN PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		WALL STRUT PROFILE	AD42-005	0,206 Kg/m	
2		EDGE PROFILE	AD42-006	0,610 Kg/m	
3		EDGE PROFILE	AD42-007	0,390 Kg/m	
4		RAIL PROFILE	AD42-008	0,531 Kg/m	
5		WALL STRUT PROFILE	AD42-013	0,241 Kg/m	
6		WALL STRUT PROFILE	AD42-014	0,201 Kg/m	
7		EDGE PROFILE	AD42-015	0,282 Kg/m	
8		CORNER PROFILE	AD42-016	0,369 Kg/m	
9		RAIL PROFILE	AD42-017	0,650 Kg/m	
10					
11					
12					











AD 48 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		20x20x1,5 CORNER PIECES	AD48-001	0,157 Kg/m	
2		25x25x1,5 CORNER PIECES	AD48-002	0,198 Kg/m	
3		40x40x2 CORNER PIECES	AD48-003	0,423 Kg/m	
4		15x15x1 CORNER PIECES	AD48-004	0,079 Kg/m	
5		20x10x1,5 CORNER PIECES	AD48-005	0,117 Kg/m	
6		10x10x1 CORNER PIECES	AD48-006	0,051 Kg/m	
7		25x15x1,5 CORNER PIECES	AD48-007	0,157 Kg/m	
8		40x10x2 CORNER PIECES	AD48-008	0,260 Kg/m	
9		60x25x2 CORNER PIECES	AD48-009	0,450 Kg/m	
10		50x50x3 CORNER PIECES	AD48-010	0,789 Kg/m	
11		20x30x2 CORNER PIECES	AD48-011	0,260 Kg/m	
12		20x40x2 CORNER PIECES	AD48-012	0,314 Kg/m	













AD 48 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		50x30x3 CORNER PIECES	AD48-013	0,626 Kg/m	
14		10x15x1,5 CORNER PIECES	AD48-014	0,095 Kg/m	
15		20x20x1,5 BOX	AD48-015	0,301 Kg/m	
16		25x25x1,5 BOX	AD48-016	0,382 Kg/m	
17		40x40x2 BOX	AD48-017	0,824 Kg/m	
18		20x50x2 BOX	AD48-018	0,715 Kg/m	
19		30x30x2 BOX	AD48-019	0,607 Kg/m	
20		25x25x2 U PROFILE	AD48-020	0,385 Kg/m	
21		20x20x1,5 U PROFILE	AD48-021	0,233 Kg/m	
22		20x5 PLATE	AD48-022	0,271 Kg/m	
23		15x2 PLATE	AD48-023	0,081 Kg/m	
24		40x3 PLATE	AD48-024	0,325 Kg/m	













AD 48 PROFILES

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
25		30x2 PLATE	AD48-025	0,163 Kg/m	
26		25x2 PLATE	AD48-026	0,136 Kg/m	
27		030x2 PIPE	AD48-027	0,477 Kg/m	
28		010x1 PIPE	AD48-028	0,084 Kg/m	
29		20x20x1,5 T PROFILE	AD48-029	0,157 Kg/m	
		30x30x2 CORNER PIECES	AD01-024	0,314 Kg/m	
		15x15x1 BOX	AD03-018	0,152 Kg/m	
		012x1 PIPE	AD04-002	0,093 Kg/m	
		025x1,5 PIPE	AD04-031	0,301 Kg/m	
		20x2 PLATE	AD28-003	0,108 Kg/m	
30		7,5x9,5x1,5 CORNER PIECES	AD48-030	0,060 Kg/m	
31		10x9,15x1,5 U PROFILE	AD48-031	0,103 Kg/m	

AD 48 PROFILES











No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
32		20x8,9x1,5 H PROFILE	AD48-032	0,179 Kg/m	
33		FURNITURE PROFILE	AD48-033	0,182 Kg/m	
34		10x10,9x1,5 U PROFILE	AD48-034	0,111 Kg/m	
35		10x12,9x1,5 U PROFILE	AD48-035	0,119 Kg/m	
36		FURNITURE PROFILE	AD48-036	0,230 Kg/m	
37		15x19,9x1,8 U PROFILE	AD48-037	0,220 Kg/m	
38		30x19,5x1,8 H PROFILE	AD48-038	0,358 Kg/m	
39		FURNITURE PROFILE	AD48-039	0,447 Kg/m	
40		22x22,5x1,8 U PROFILE	AD48-040	0,301 Kg/m	
41		FURNITURE PROFILE	AD48-041	0,493 Kg/m	
42		22x24,6x1,8 U PROFILE	AD48-042	0,312 Kg/m	
43		6 MM CRIPPLED U PROFILE	AD48-043	0,144 Kg/m	

AD 48 PROFILES





No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
44		15x15,9x1,5 U PROFILE	AD48-044	0,171 Kg/m	
45		25 FLOOR FITTING PROFILE	AD48-045	0,125 Kg/m	
46		FURNITURE PROFILE	AD48-046	0,108 Kg/m	
47		30 FLOOR FITTING PROFILE	AD48-047	0,144 Kg/m	
48		40 FLOOR FITTING PROFILE	AD48-048	0,228 Kg/m	
49		11,5x14,5x1,3 CORNER PIECES	AD48-049	0,084 Kg/m	
50		19,8x17,8x1,5 CORNER PIECES	AD48-050	0,144 Kg/m	
51		22,8x19x1,5 CORNER PIECES	AD48-051	0,160 Kg/m	
52		08x1 PIPE	AD48-052	0,060 Kg/m	
53		06x1 PIPE	AD48-053	0,043 Kg/m	
54		5 MM FULL BAR PROFILE	AD48-054	0,054 Kg/m	
55		6 MM FULL BAR PROFILE	AD48-055	0,076 Kg/m	



Profile weights are theoretical, and the weights taken at the time of delivery are valid.

AD 48 PROFILES











No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
56		10x10x1 BOX	AD48-056	0,098 Kg/m	
57		10x10x2 CORNER PIECES	AD48-057	0,098 Kg/m	
58		10x15x1 CORNER PIECES	AD48-058	0,065 Kg/m	
59		15x15x1,5 U PROFILE	AD48-059	0,171 Kg/m	
60		8x8x1 U PROFILE	AD48-060	0,060 Kg/m	
61		6x6x1 U PROFILE	AD48-061	0,043 Kg/m	
62		10x10x1,5 U PROFILE	AD48-062	0,111 Kg/m	
63		8x20x1 U PROFILE	AD48-063	0,092 Kg/m	
64		8x10x1,3 U PROFILE	AD48-064	0,081 Kg/m	
65		8x10x1 U PROFILE	AD48-065	0,065 Kg/m	
66		30x22x1,5 H PROFILE	AD48-066	0,322 Kg/m	
67		12x9,1x1,3 H PROFILE	AD48-067	0,108 Kg/m	

AD 48 PROFILES












No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
68		FURNITURE PROFILE	AD48-068	0,184 Kg/m	
69		FURNITURE PROFILE	AD48-069	0,217 Kg/m	
70		BEAD PROFILE	AD48-070	0,176 Kg/m	
71		BEAD PROFILE	AD48-071	0,195 Kg/m	
72		10 MM FULL BAR PROFILE	AD48-072	0,214 Kg/m	
73					
74					
75					
76					
77					
78					
79					

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		LED PROFILE	AD55-013	0,233 Kg/m	
2		CURTAIN PROFILE	AD55-014	0,152 Kg/m	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					

GASKETS




No:	Gasket Shape	Gasket Name	Gasket Code	Box Details		Gasket Weight (Kg/m)	Used in the systems
				M	Kg		
1		EPDM Inner Acoustic Gasket	ADO-A-01	375	12	0,032 Kg/m	AD 55 - AD 55T
2		EPDM Outer Acoustic Gasket	ADO-A-02	571	12	0,021 Kg/m	AD 55 - AD 55T
3		EPDM Outer Glazing Acoustic Gasket	ADO-A-03	267	12	0,045 Kg/m	AD 55 - AD 55T
4		EPDM Medium Gasket	ADO-A-04	126	12	0,095 Kg/m	AD 55 - AD 55T
5		EPDM Gasket	ADO-A-05	197	12	0,061 Kg/m	AD 55 - AD 55T
6		EPDM Gasket	ADO-A-06	164	12	0,073 Kg/m	AD 55 - AD 55T
7		EPDM Gasket	ADO-A-07	197	12	0,061 Kg/m	AD 55 - AD 55T
8		EPDM Gasket	ADO-A-08	255	12	0,047 Kg/m	AD 55 - AD 55T
9		EPDM Gasket	ADO-A-09	240	12	0,050 Kg/m	AD 55 - AD 55T
10		EPDM Inner Glazing Gasket	ADO-A-10	101	12	0,119 Kg/m	AD 50F
11		EPDM Inner Glazing Gasket	ADO-A-11	94	12	0,128 Kg/m	AD 50F
12		EPDM FG Gap Gasket	ADO-A-12	211	12	0,057 Kg/m	AD 50F













GASKETS

No:	Gasket Shape	Gasket Name	Gasket Code	Box Details		Gasket Weight (Kg/m)	Used in the systems
				M	Kg		
13		EPDM Acoustic Gasket	ADO-A-13	414	12	0,029 Kg/m	AD 50F
14		EPDM Fixing Gasket	ADO-A-14	114	12	0,105 Kg/m	AD 50F
15		EPDM Inner Glazing Gasket	ADO-A-15	245	12	0,049 Kg/m	AD 50F
16		EPDM Outer Glazing Acoustic Gasket	ADO-A-16	214	12	0,056 Kg/m	AD 50F
17		EPDM Fixing Gasket	ADO-A-17	250	12	0,048 Kg/m	AD 50F
18		FE System Concealed Sash Frame Silicone Gasket (to be sold in m)	ADO-A-18	150	8,7	0,058 Kg/m	AD 50F
19		EPDM Concealed Sash Gasket	ADO-A-19	207	12	0,058 Kg/m	AD 50F
20		EPDM Inner Glazing Gasket	ADO-A-20	92	12	0,130 Kg/m	AD 50F
21		FE System Silicone Gasket (to be sold in m)	ADO-A-21	100	10,8	0,108Kg/m	AD 50F
22		EPDM Frame Gasket	ADO-A-22	444	12	0,027 Kg/m	AD 55S
23		EPDM Inner Glazing Gasket	ADO-A-23	164	12	0,073 Kg/m	AD 50F
24		EPDM Inner Glazing Gasket	ADO-A-24	78	12	0,154 Kg/m	AD 50F






Profile weights are theoretical, and the weights taken at the time of delivery are valid.

GASKETS

No:	Gasket Shape	Gasket Name	Gasket Code	Box Details		Gasket Weight (Kg/m)	Used in the systems
				M	Kg		
25		EPDM Concealed Sash Frame Gasket	ADO-A-25	107	12	0,112 Kg/m	AD 50F
26		EPDM Sliding Frame Gasket	ADO-A-26	316	12	0,038 Kg/m	AD 55S
27		EPDM Sliding Medium Clamp Gasket	ADO-A-27	706	12	0,017 Kg/m	AD 55S
28							
29							
30							
31							
32							
33							
34							
35							
36							

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
1		FRAME+MULLION INNER OUTER+BOTTOM	AD25-001	0,080 Kg/m	
2		FRAME+INWARD OPENING SASH WITH ACOUSTIC GASKET+BOTTOM FACADE FINISH PROFILE	AD25-002	0,060 Kg/m	
3		INWARD AND OUTWARD OPENING SASH WITH ACOUSTIC GASKET	AD25-003	0,085 Kg/m	
4		INNER AND OUTER FLUSH SASHES INNER AND OUTER INWARD OPENING MEDIUM ADAPTER INNER AND OUTER OUTWARD OPENING MEDIUM AND SIDE ADAPTER	AD25-004	0,055 Kg/m	
5		FACADE FINISH PROFILE	AD25-005	0,065 Kg/m	
6		OUTWARD OPENING SASH FACADE CASSETTE WITH ACOUSTIC GASKET	AD25-006	0,045 Kg/m	
7		CORNER PIPE PROFILE	AD25-007	0,050 Kg/m	
8		AD55 ST FRAME - SASH PROFILE	AD25-008	0,055 Kg/m	
9		FRAME+MULLION INNER OUTER+BOTTOM	AD25-009	0,105 Kg/m	
10		FRAME+INWARD OPENING SASH WITH ACOUSTIC GASKET+BOTTOM FACADE FINISH PROFILE	AD25-010	0,079 Kg/m	
11		INWARD AND OUTWARD OPENING SASH WITH ACOUSTIC GASKET	AD25-011	0,103 Kg/m	
12		FRAME+MULLION INNER OUTER+BOTTOM	AD25-012	0,127 Kg/m	

AD 25 POLYAMIDE

No:	Profile Shape	Profile Name	Profile Code	Profile Weight (Kg/m)	
13		FRAME+INWARD OPENING SASH WITH ACOUSTIC GASKET+BOTTOM FACADE FINISH PROFILE	AD25-013	0,098 Kg/m	
14		INWARD AND OUTWARD OPENING SASH WITH ACOUSTIC GASKET	AD25-014	0,122 Kg/m	
15		INNER AND OUTER FLUSH SASHES INNER AND OUTER INWARD OPENING MEDIUM ADAPTER INNER AND OUTER OUTWARD OPENING MEDIUM AND SIDE ADAPTER	AD25-015	0,078 Kg/m	
16		OUTWARD OPENING SASH FACADE CASSETTE WITH ACOUSTIC GASKET	AD25-016	0,082 Kg/m	
17		CORNER PIPE PROFILE	AD25-017	0,088 Kg/m	
18					
19					
20					
21					
22					
23					
24					





ADO Alüminyum

www.adoaluminyum.com.tr

FACTORY

Antalya Organize Sanayi Bölgesi 2.Kısım Mah. 21.Cadde No:3

07040 Döşemealtı / ANTALYA

Tel : +90 242 236 40 00 · Faks : +90 242 236 40 90 · Email : info@adoaluminyum.com.tr

